



KEYLIGHT
SPAIN
LIGHTING PRODUCTS

SPOTLIGHTS



ABOUT US

Keylight Spain is a leading specialist in lighting products from Valencia, Spain.

We use the latest **LED technology** to create a unique range of lighting solutions.

Known by the high quality of our materials and innovative approaches when it comes to lighting, we offer a comprehensive selection of products, including LED lights, luminaires, drivers, control systems, accessories and more.

Our creative scope allows us to tackle even the most complex lighting projects, while our extensive experience and customer service ensure your lighting needs are met with the utmost satisfaction.

Therefore, our mission is to meet and satisfy the needs of our clients, with tailored products and services including collaborative marketing campaigns and market-specific product design to support our partners worldwide.


SPOT LIGHTS




TRIMLESS DOWNLIGHT



KL-SP00001



KL-SP00002



LIGHT ALERTING DEVICES:




Voltage	Frequency	Light Source	Wattage
220-240V 12v	50Hz	GU10 GU5.3	MAX 13W



KL-SP00003




KL-SP00004



LIGHT ALERTING DEVICES:




Voltage	Frequency	Light Source	Wattage
220-240V 12V	50Hz	GU10 GU5.3	MAX LED 13W




LIGHT ALERTING DEVICES:




KL-SP00005





Voltage	220-240V / 12V
Frequency	50Hz
Lamp Holder	GU10 / GU5.3
Wattage	MAX LED 13W
Adjustable Angle	30°



KL-SP00006




Voltage	220-240V / 12V
Frequency	50Hz
Lamp Holder	GU10 / GU5.3
Wattage	MAX LED 13W
Adjustable Angle	30°






KL-SP00007




KL-SP00008




Voltage	220-240V / 12V
Frequency	50Hz
Lamp Holder	GU10 / GU5.3
Wattage	MAX LED 13W
Adjustable Angle 30°	

KL-SP00009



KL-SP00010




123x123 mm

KL-SP00011



Ø 133 mm



KL-SP00012




153x153 mm


Voltage	Frequency	Light Source	Wattage
220-240V 12v	50Hz	GU10 GU5.3	MAX 35W


KL-SP00013




 123x123 mm

KL-SP00013 R



 \varnothing 123mm

KL-SP00014



153x153 mm



Voltage	Frequency	Light Source	Wattage
220-240V 12v	50Hz	GU10 GU5.3	MAX 35W


KL-SP00015



KL-SP00016



KL-SP00017



100

100



27

103x103 mm




∅ 130




24

∅ 133 mm



120

120




45

123x123 mm


Voltage	Frequency	Light Source	Wattage
220-240V 12v	50Hz	GU10 GU5.3	MAX 35W

KL-SP00018



125x125 mm

KL-SP00019



122

125x125 mm

Voltage

220-240V / 12v

Frequency

50Hz


Light Source

GU10 / GU5.3

Wattage

MAX 35W

KL-SP00020



370

373x193 mm


KL-SP00021





KL-SP00022





KL-SP00023




 83x83 mm



 83x83 mm



 63x63 mm


Voltage	Frequency	Light Source	Wattage
220-240V 12v	50Hz	GU10 GU5.3	MAX 35W



KL-SP00024

Voltage	DC 3.2V
Constant	350mA
Light Source	CREE XB-D
Wattage	MAX 1 W/LED



 83x83 mm






KL-SP00025



KL-SP00026




KL-SP00027




Color / Material White / Gypsum (Paintable)


Voltage	Frequency	Light Source	Wattage
220-240V 12v	50Hz	SMD 2835	MAX 10W


KL-SP00028



 123x123 mm

KL-SP00029



 123x123 mm

Voltage	Frequency	Light Source	Wattage
220-240V 12v	50Hz	GU10 GU5.3	MAX 35W





KL-SP00030



KL-SP00031



KL-SP00032




Ø155



66

Ⓛ 158mm




155

155



66

Ⓛ 158x156 mm



204

204



66


Ⓛ 207x207 mm

CE RoHS IP20     

Voltage	Frequency	Light Source	Wattage
220-240V 12v	50Hz	GU10 GU5.3	MAX 50W



KL-SP00033



Voltage	Frequency	Light Source	Wattage
220-240V 12v	50Hz	GU10 GU5.3	MAX 35W

KL-SP00034



KL-SP00035



KL-SP00036



∅ 200



67

∅ 203 mm




∅ 230



85

∅ 233 mm



200

200




77

203x203 mm

Voltage	Frequency	Light Source	Wattage
220-240V 12v	50Hz	AR 111	MAX 50W



KL-SP00037



Voltage	Frequency	Light Source	Wattage
220-240V 12v	50Hz	GU10 GU5.3	MAX 2X35W


KL-SP00038




KL-SP00039




KL-SP00040



217x120 mm



253x153 mm









258x158 mm

Voltage	Frequency	Light Source	Wattage
220-240V 12v	50Hz	GU10 GU5.3	MAX 2X50W

KL-SP00041

KL-SP00042

KL-SP00043



Voltage	Frequency	Light Source	Wattage
220-240V 12v	50Hz	LOB 1507	11 W

KL-SP00044

KL-SP00045




KL-SP00046



MC-9137


MC-9141

MC-9142



Voltage	Frequency	Light Source	Wattage
220-240V 12v	50Hz	GU10	MAX 35W


KL-SP00047



CE RoHS IP20    


Voltage	220-240V
Frequency	50Hz
Light Source	RGB LED
Wattage	MAX 2.5W

KL-SP00048



Voltage	220-240V
Frequency	50Hz
Light Source	E27
Wattage	MAX 4 18W/CFL

KL-SP00049





Voltage	220-240V
Frequency	50Hz
Light Source	SMD 5050
Wattage	MAX 12W X 1.6M

CE RoHS IP20    




KL-SP00050 A



 333x333 mm

KL-SP00050 B




 223x223mm





KL-SP00051 A



 Ø 283mm

KL-SP00051 B



 Ø 223mm

	Voltage	Frequency	Light Source	Wattage
A	220-240V	50Hz	HONGLI LED	MAX 18W
B	220-240V	50Hz	HONGLI LED	MAX 9W



WYJŚCIE
WAKACYJNE






KL-SP00052 A



Ⓜ 283mm


KL-SP00052 B



Ⓜ 183mm



KL-SP00053 A



Ⓜ 283x283mm

KL-SP00053 B



Ⓜ 183x183mm

	Voltage	Frequency	Light Source	Wattage
A	220-240V	50Hz	HONGLI LED	MAX 18W
B	220-240V	50Hz	HONGLI LED	MAX 9W

NEW


COLOR / MATERIAL



Color/Material:



KL-SP00054



KL-SP00055




Voltage	Frequency	Light Source	Wattage
220-240V 12v	50Hz	GU10 GU5.3	MAX 50W



SURFACE MOUNTED CEILING LAMP




KL-SP00056



KL-SP00057



KL-SP00058



KL-SP00059



Color/Material:



White
Gypsum
(Paintable)



Grey
Smooth
Cement

CE RoHS IP20    

Voltage	Frequency	Light Source	Wattage
220-240V	50Hz	LED	MAX 9W



KL-SP00060



KL-SP00061



KL-SP00062





Voltage	Frequency	Light Source	Wattage
220-240V	50Hz	GU10	MAX 50W



KL-SP00063





KL-SP00064



KL-SP00065



KL-SP00066



Color/Material:



CE RoHS IP20

Voltage	Frequency	Light Source	Wattage
220-240V	50Hz	E27	MAX 2X25W
220-240	50Hz	E27	MAX 3X18W/CFL



KL-SP00067

KL-SP00068

KL-SP00069



90

Ø 70



130

Ø 70



170

Ø 70

Color/Material:



White
Gypsum
(Paintable)



Grey
Smooth
Cement

CE RoHS IP20    

Voltage	Frequency	Light Source	Wattage
220-240V	50Hz	GU10	








KL-SP00070

KL-SP00071

KL-SP00072



Color/Material:




White
Gypsum
(Paintable)



Grey
Smooth
Cement

CE RoHS IP20    



Voltage	Frequency	Light Source	Wattage
220-240V	50Hz	GU10	MAX 35W



KL-SP00073

KL-SP00074

KL-SP00075



Color/Material:



White
Gypsum
(Paintable)



Grey
Smooth
Cement

CE RoHS IP20    

Voltage	Frequency	Light Source	Wattage
220-240V	50Hz	GU10	MAX 35W



KL-SP00076



124 x 124

- Honeycomb
- Softening Lens
- Liner Spread Lens
- Frosted

COLOR/MATERIAL



Voltage	Frequency	Light Source	Wattage
220-240V	50Hz	GU10	MAX 35W
12V	50Hz	GU3.5	MAX 35W

KL-SP00077



123x123

- Honeycomb
- Softening Lens
- Liner Spread Lens
- Frosted


COLOR/MATERIAL



Voltage	Frequency	Light Source	Wattage
220-240V	50Hz	GU10	MAX 35W
12V	50Hz	GU3.5	MAX 35W




KL-SP00078



COLOR/MATERIAL

Voltage	Frequency	Light Source	Wattage
220-240V	50Hz	GU10	MAX 35W
12V	50Hz	GU3.5	MAX 35W

KL-SP00079



COLOR/MATERIAL

Voltage	Frequency	Light Source	Wattage
220-240V	50Hz	GU10	MAX 35W
12V	50Hz	GU3.5	MAX 35W



KL-SP00080 1×5W (155×155×47mm)



KL-SP00081 3×5W (290×155×47mm)



KL-SP00082 5×5W (440×155×47mm)



KL-SP00083 1×5W (155×155×47mm)



KL-SP00084 3×5W (290×155×47mm)



KL-SP00085 5×5W (440×155×47mm)



KL-SP00086 4×5W (255×255×47mm)

LED/ 3000K/ CRI 80

CREE® PHILIPS

IP20

220-240V


Color/Material



Reflector:




AZ-5020-S




Voltage	AC220-240V
Power	18 W
Frequency	50Hz~60Hz
CRI	90
Beam Angle	15°/24°/36°
Material	Aluminum
Color Temperature(CCT)	Warm white 2800-3200K Cool white 6000-6500K
IP20	

AZ-5020 R




AZ-7020



Voltage	AC220-240V
Power	18 W
Frequency	50Hz~60Hz
CRI	90
Beam Angle	15°/24°/36°
Material	Aluminum
Color Temperature(CCT)	Warm white 2800-3200K Cool white 6000-6500K
IP20	

AZ-7040



Voltage	AC220-240V
Power	40 W
Frequency	50Hz~60Hz
CRI	90
Beam Angle	24°/36°/60°
Material	Aluminum
Color Temperature(CCT)	Warm white 2800-3200K Cool white 6000-6500K
IP20	





Body Color:




OPTIONS:
LED POWER SUPPLY 250mA-DC/DIM
3-years warranty

KL-SP00087

Voltage	Power	Color Temperature	Luminous Flux	Beam Angles	CRI	IP rating	Material
220-240V	14W	3000K/4000K/6000K	870 lm	15°/25°/38°/60°	80/90	IP 20	Die-cast Aluminum

Body of luminaire is made of high quality die-casting aluminum, exquisite and fashion, with corrosion resistance surface treatment, can be white or black color etc. Offers a reflector with high reflectivity, can be different beam angles. Horizontal rotation 355°, vertical rotation 90°. Unique design with light ring effect.



Body Color:




OPTIONS:
LED POWER SUPPLY 250mA-DC/DIM
3-years warranty

KL-SP00088

Voltage	Power	Color Temperature	Luminous Flux	Beam Angles	CRI	IP rating	Material
220-240V	14W	3000K/4000K/6000K	870 lm	15°/25°/38°/60°	80/90	IP 20	Die-cast Aluminum



103



Ø 100



CREE PHILIPS


Body Color:



CE RoHS IP20

KL-SP00089

Voltage	Power	Color Temperature	Luminous Flux	Beam Angles	CRI	IP rating	Material
220-240V	14W	3000K/4000K/6000K	870 lm	20°/40°/60°	80/90	IP 20	Die-cast Aluminum



Body Color:



CE RoHS IP20



CREE PHILIPS

KL-SP00090

Voltage	Power	Color Temperature	Luminous Flux	Beam Angles	CRI	IP rating	Material
220-240V	2* 14W	3000K/4000K/6000K	870 lm	15°/25°/38°/60°	80/90	IP 20	Die-cast Aluminum




KL-SP00091



KL-SP00092



KL-SP00092D




Body Color:




Voltage	Power	Color Temperature	Luminous Flux	Beam Angles	CRI	IP rating	Material
220-240V	9.5W	3000K/4000K/6000K	870 lm	15°/24°/36°	80/90	IP 20	Die-cast Aluminum



KL-SP00093



KL-SP00093D



Body Color:




Voltage	Power	Color Temperature	Luminous Flux	Beam Angles	CRI	IP rating	Material
220-240V	2*9.5W	3000K/4000K/6000K	870 lm	15°/24°/36°	80/90	IP 20	Die-cast Aluminum



KL-SP00094



KL-SP00095




KL-SP00095D




Voltage	Power	Color Temperature	Luminous Flux	Beam Angles	CRI	IP rating	Material
220-240V	9.5W	3000K/4000K/5000K	870 lm	15°/24°/36°	80/90	IP 20	Die-cast Aluminum



KL-SP00096



KL-SP00096D



Voltage	Power	Color Temperature	Luminous Flux	Beam Angles	CRI	IP rating	Material
220-240V	2*9.5W	3000K/4000K/5000K	870 lm	15°/24°/36°	80/90	IP 20	Die-cast Aluminum





KL-SP00097L-B

KL-SP00097G-B



Ø 82 75

Body Color:



Unit: cd

— C0-C180 — C90-C270 — 60

OPTIONS:

LED POWER SUPPLY 250mA-DC/DIM


CREE PHILIPS

Voltage	Power	Color Temperature	Luminous Flux	Beam Angles	CRI	IP rating	Material
220-240V	9W	3000K/4000K/5000K	870 lm	15°/25°/38°/60°	80/90	IP 20	Die-cast Aluminum

CE RoHS IP20    

Body of luminaire is made of high quality die-casting aluminum, nice curved shape, exquisite and fashion, with corrosion resistance surface treatment, can be white or black color etc. Offers a reflector with high reflectivity, can be different beam angles.

KL-SP00098



75

Body Color:



Panel Color:



CREE PHILIPS




Voltage	Power	Color Temperature	Luminous Flux	Beam Angles	CRI	IP rating	Material
220-240V	9W	3000K/4000K/5000K	870 lm	15°/25°/38°/60°	80/90	IP 20	Die-cast Aluminum

CE RoHS IP20    





KL-SP00099



Decorative rectangle panel is made of high quality aluminum, exquisite and fashion, with corrosion resistance surface treatment, can be white or black color. Decorative panel is installed with the spot light of MJ-1003 with any color as requested. Offers a reflector with high reflectivity, can be different beam angles.

Voltage	Power	Color Temperature	Luminous Flux	Beam Angles	CRI	IP rating	Material
220-240V	2*9W	3000K/4000K/5000K	870 lm	15°/25°/38°/60°	80/90	IP 20	Die-cast Aluminum


CREE PHILIPS



KL-SP00100L-W



KL-SP00100G-W



Body Color:




Unit: cd
 — C0-C180 — C90-C270 — G0

OPTIONS:
 LED POWER SUPPLY 250mA-DC/DIM

Body of luminaire is made of high quality die-casting aluminum, exquisite and fashion, with corrosion resistance surface treatment, can be white or black color. Offers a reflector with high reflectivity, can be different beam angles.

KL-SP00101



Panel Color:




Unit: cd
 — C0-C180 — C90-C270 — G0

OPTIONS:
 LED POWER SUPPLY 250mA-DC/DIM

Decorative panel is made of high quality aluminum, exquisite and fashion, with corrosion resistance surface treatment, can be white or black color. Square decorative panel is installed with the spot light of MJ-1004 with any color as requested. Offers a reflector with high reflectivity, can be different beam angles.

Voltage	Power	Color Temperature	Luminous Flux	Beam Angles	CRI	IP rating	Material
220-240V	9W	3000K/4000K/5000K	870 lm	15°/25°/38°/60°	80/90	IP 20	Die-cast Aluminum



Decorative rectangle panel is made of high quality aluminum, exquisite and fashion, with corrosion resistance surface treatment, can be white or black color. Decorative panel is installed with the spot light of MJ-1004 with any color as requested. Offers a reflector with high reflectivity, can be different beam angles.

KL-SP00102


Voltage	Power	Color Temperature	Luminous Flux	Beam Angles	CRI	IP rating	Material
220-240V	2*9W	3000K/4000K/5000K	870 lm	15°/25°/38°/60°	80/90	IP 20	Die-cast Aluminum







KL-SP00103



Body Color:



— C0-C180 — C90-C270 — G0

OPTIONS:

LED POWER SUPPLY 250mA-DC/DIM


Voltage	Power	Color Temperature	Luminous Flux	Beam Angles	CRI	IP rating	Material
220-240V	9W	3000K/4000K/5000K	870 lm	15°/25°/38°/60°	80/90	IP 20	Die-cast Aluminum



Body of luminaire is made of high quality aluminum, exquisite and fashion, with corrosion resistance surface treatment, can be white or black color. Offers a reflector with high reflectivity, can be different beam angles. Unique design with light ring effect.



KL-SP00104



Body Color:



Units: °d
— C0-C180 — C90-C270 — G0

OPTIONS:

LED POWER SUPPLY 250mA-DC/DIM

Voltage	Power	Color Temperature	Luminous Flux	Beam Angles	CRI	IP rating	Material
220-240V	9W	3000K/4000K/5000K	870 lm	15°/25°/38°/60°	80/90	IP 20	Die-cast Aluminum







KL-SP00105




KL-SP00106




KL-SP00107

Body Color:




Voltage	Power	Color Temperature	Luminous Flux	Beam Angles	CRI	IP rating	Material
220-240V	9W	3000K/4000K/5000K	870 lm	15°/25°/38°/60°	80/90	IP 20	Die-cast Aluminum

Body of luminaire is made of high quality aluminum, exquisite and fashion, with corrosion resistance surface treatment, can be white or black color. Offers a reflector with high reflectivity, can be different beam angles.



KL-SP00108




KL-SP00109



KL-SP00110

Body Color:



Voltage	Power	Color Temperature	Luminous Flux	Beam Angles	CRI	IP rating	Material
220-240V	9W	3000K/4000K/5000K	KL-SP00108 - 21W (1670lm) KL-SP00109 - 21W (1804lm) KL-SP00110 - 21W (1844lm)	15°/25°/38°/60°	80/90	IP 20	Die-cast Aluminum





KL-SP00111 KL-SP00111L

Body Color	Black/White
Specification	9W LED 3000K/4000K/5000K, CRI 80/90
LED	CREE PHILIPS
IP Rating	IP20
Voltage	220-240V
Beam Angle	15°/25°/38°/60°
Material	Aluminum

Body Color:



UNIT: cm




— C0-C180 — C90-C170 — G0

OPTIONS:

LED POWER SUPPLY 250mA-DC/DIM

Body of luminaire is made of high quality aluminum, exquisite and fashion, with corrosion resistance surface treatment, can be white or black color. Offers a reflector with high reflectivity, can be different beam angles.

CE RoHS IP20



KL-SP00112 KL-SP00112L

Body Color	Black/White
Specification	9W LED 3000K/4000K/5000K, CRI 80/90
LED	CREE PHILIPS
IP Rating	IP20
Voltage	220-240V
Beam Angle	15°/25°/38°/60°
Material	Aluminum

Body Color:



CE RoHS IP20



KL-SP00113

Body Color	White
Specification	9W LED 3000K/4000K/5000K, CRI 80/90
LED	CREE PHILIPS
IP Rating	IP20
Voltage	220-240V
Beam Angle	15°/25°/38°/60°
Material	Gypsum + Aluminum

	E(lx/klm)	D(m)
1	1048	0.63
2	262	1.25
3	116	1.88
4	65	2.51
5	42	3.31

OPTIONS:
LED POWER SUPPLY 350-550mA-DC/DIM

CE RoHS IP20



KL-SP00114

Body Color	White
Specification	2.5W (130lm) RGB 3000K/4000K/5000K, CRI 80
LED	CREE PHILIPS
IP Rating	IP20
Voltage	220-240V
Material	Aluminum



Body Color

Light Color

CE RoHS IP20



KL-SP00115



KL-SP00117



KL-SP00117



KL-SP00136



KL-SP00135



KL-SP00137



KL-SP00138



KL-SP00130



KL-SP00129



KL-SP00128



KL-SP00134



KL-SP00133



KL-SP00132



KL-SP00116



KL-SP00118



KL-SP00119



KL-SP00120



KL-SP00126



KL-SP00125



KL-SP00127



KL-SP00131



KL-SP00123



KL-SP00124



KL-SP00121



KL-SP00122





KL-SP00139

Body Color	Black/White/Matt gold/Blue
Specification	18.5W LED 3000K/4000K/5000K, CRI 80/90
LED	CREE PHILIPS CITIZEN
IP Rating	IP20 / IP 44
Voltage	220-240V
Beam Angle	40°
Material	Die-casting Aluminum


Reflector Color:



Recessed down light, for indoor use, body of luminaire made of die-casting aluminum. Offers a reflector with high reflectivity, and multiple color options. Light source with glass diffuser and 3D soft light effect. IP20, can also be IP44.



OPTIONS:
LED POWER SUPPLY 350-550mA-DC/DIM



OPTIONS:
LED POWER SUPPLY 350-550mA-DC/DIM



KL-SP00140


Body Color	Black/White/Matt gold/Blue
Specification	18.5W LED 3000K/4000K/5000K, CRI 80/90
LED	CREE PHILIPS CITIZEN
IP Rating	IP20 / IP 44
Voltage	220-240V
Beam Angle	40°
Material	Die-casting Aluminum

Reflector Color:



Trimless recessed down light with separate pre-install frame, for indoor use, body of luminaire made of die-casting aluminum, offers a reflector with high reflectivity. Multiple color options are available for the reflector and can be easily replaced. LED Light source with glass diffuser and 3D soft light effect. IP20, can also be IP44.






Reflector Color



KL-SP00141

Body Color	Black/White/Matt gold/Blue
Specification	18.5W LED 3000K/4000K/5000K, CRI 80/90
LED	CREE PHILIPS CITIZEN
IP Rating	IP20 / IP 44
Voltage	220-240V
Beam Angle	40°
Material	Die-casting Aluminum

Recessed down light with high quality die-casting aluminum reflector. Multiple color options for the reflector are available and can be easily replaced. Light source with glass diffuser and 3D soft light effect. IP20, can also be IP44.





Reflector Color



KL-SP00142

Body Color	Black/White/Matt gold/Blue
Specification	18.5W LED 3000K/4000K/5000K, CRI 80/90
LED	CREE PHILIPS CITIZEN
IP Rating	IP20 / IP 44
Voltage	220-240V
Beam Angle	40°
Material	Die-casting Aluminum




OPTIONS:
LED POWER SUPPLY 350-550mA-DC/DIM

KL-SP00143


Reflector Color	Black/White/Matt gold/Blue
Specification	18.5W LED 3000K/4000K/5000K, CRI 80/90
LED	CREE PHILIPS CITIZEN
IP Rating	IP20 / IP 44
Voltage	220-240V
Beam Angle	40°
Material	Aluminum



Surface mounted down light, for indoor use. Body of luminaire made of extruded aluminum, offers a reflector with high reflectivity, and multiple color options. Light source with glass diffuser and 3D soft light effect. IP20, can also be IP44.



240 × 240



OPTIONS:
LED POWER SUPPLY 350-550mA-DC/DIM


Reflector Color:




KL-SP00144

Body Color	Black/White/Matt gold/Blue
Specification	18.5W LED 3000K/4000K/5000K, CRI 80/90
LED	CREE PHILIPS CITIZEN
IP Rating	IP20 / IP 44
Voltage	220-240V
Beam Angle	40°
Material	Gypsum & Die-casting Aluminum

Trimless recessed down light with separate pre-install frame, for indoor use, body of luminaire made of die-casting aluminum, offers a reflector with high reflectivity. Multiple color options are available for the reflector and can be easily replaced. LED Light source with glass diffuser and 3D soft light effect. IP20, can also be IP44.



180 × 180



OPTIONS:
LED POWER SUPPLY 350-550mA-DC/DIM

Reflector Color:



KL-SP00145

Body Color	Black/White/Matt gold/Blue
Specification	18.5W LED 3000K/4000K/5000K, CRI 80/90
LED	CREE PHILIPS CITIZEN
IP Rating	IP20 / IP 44
Voltage	220-240V
Beam Angle	40°
Material	Gypsum & Die-casting Aluminum


ROUND DEEP DOWNLIGHT



KL-SP00146

Trim Color	Black/White
Reflector Color	Matt gold/Blue
Specification	1x 10W LED MR16/3000K CRI 80/800lm
LED	CREE
IP Rating	IP20
Voltage	220-240V
Beam Angle	20°/40°/60°
Material	Die-casting Aluminum

Reflector



CE RoHS IP20




KL-SP00147

Trim Color	Black/White
Reflector Color	Matt gold/Blue
Specification	1x 10W LED MR16/3000K CRI 80/800lm
LED	CREE
IP Rating	IP20
Voltage	220-240V
Beam Angle	20°/40°/60°
Material	Die-casting Aluminum



Reflector



CE RoHS IP20

SQUARE DEEP DOWNLIGHT



KL-SP00148

Trim Color	Black/White
Reflector Color	Matt gold/Blue
Specification	1x 10W LED MR16/3000K CRI 80/800lm
LED	CREE
IP Rating	IP20
Voltage	220-240V
Beam Angle	20°/40°/60°
Material	Die-casting Aluminum

Reflector



U 82x82

CE RoHS IP20



ADJUSTABLE DEEP DOWNLIGHT




KL-SP00149

Trim Color	Black/White
Reflector Color	Matt gold/Blue
Specification	1x 10W LED MR16/3000K CRI 80/800lm
LED	CREE
IP Rating	IP20
Voltage	220-240V
Beam Angle	20°/40°/60°
Material	Die-casting Aluminum



Reflector



LED-GU10/MR16



LED-GU5.3/MR16





KL-SP00150

Specification	1x 10W LED / 3000K CRI 80/705lm
LED	CREE PHILIPS LUMILEDS
IP Rating	IP20
Voltage	220-240V
Beam Angle	20°/40°/60°
Rotation	0-30°/355°
Material	Die-casting Aluminum

Color options for parts:



CE RoHS IP20    

TONO ROUND WITH TRIM




KL-SP00151

Specification	1x 10W LED /3000K CRI 80/705lm
LED	CREE PHILIPS LUMILEDS
IP Rating	IP20
Voltage	220-240V
Beam Angle	20°/40°/60°
Rotation	0-30°/355°
Material	Gypsum & Die-casting Aluminum

Color options for parts:



CE RoHS IP20



KL-SP00152


Specification	1x 10W LED / 3000K CRI 80/705lm
LED	CREE PHILIPS
IP Rating	IP20
Voltage	220-240V
Beam Angle	20°/40°/60°
Rotation	0-30°/355°
Material	Gypsum & Die-casting Aluminum

Color options for parts:



CE RoHS IP20





KL-SP00153 (GU10 Version Optional)

Stick Color	Black/White
Reflector Color	Black/White/Matt
Specification	4 LED / 3000K
LED	CREE PHILIPS LUMILEDS
IP Rating	IP20
Voltage	220-240V
Beam Angle	20°/40°
Rotation	85°/355°
Material	Gypsum & Die-casting Aluminum


Stick:



Jacket:



MAGIC STICK



KL-SP00154

Specification	14W LED /3000K CRI 80/870lm
LED	CREE PHILIPS LUMILEDS
IP Rating	IP20
Voltage	220-240V
Beam Angle	20°/40°/60°
Rotation	0-85°/355°
Material	Aluminum

Color options for parts:





KL-SP00155 (GU10 Version Optional)

Jacket Color	Black/White/Matt Gold/Silver
Specification	11 W LED
LED	CREE PHILIPS
IP Rating	IP20
Voltage	220-240V
Beam Angle	20°/40°/60°
Rotation	85°/355°
Material	Aluminum

Stick Color:



White Powder Painting




Black Powder Painting

Jacket:



RECESSED MAGIC STICK



Color options for parts:



KL-SP00156

Specification	14W LED /3000K CRI 80/870lm
LED	CREE PHILIPS LUMILEDS
IP Rating	IP20
Voltage	220-240V
Beam Angle	20°/40°/60°
Rotation	0-85°/355°
Material	Aluminum

CE RoHS IP20    




PRODUCTS CATALOGUE | **SPOT LIGHTS**



KL-SP00157


Specification	14W LED /3000K CRI 80/870lm
LED	CREE PHILIPS LUMILEDS
IP Rating	IP20
Voltage	220-240V
Beam Angle	20°/40°/60°
Rotation	0-85°/355°
Material	Gypsum & Aluminum



Stick:



Jacket:



Stick:



Jacket:



KL-SP00158

Specification	2x 14W LED /3000K CRI 80/870lm
LED	CREE PHILIPS LUMILEDS
IP Rating	IP20
Voltage	220-240V
Beam Angle	20°/40°/60°
Rotation	0-85°/355°
Material	Gypsum & Aluminum






KL-SP00159



Specification	14W LED /3000K CRI 80/870lm
LED	CREE PHILIPS LUMILEDS
IP Rating	IP20
Voltage	220-240V
Beam Angle	20°/40°/60°
Rotation	0-85°/355°
Material	Aluminum



Stick:



CE RoHS IP20    


Jacket:



KL-SP00160



Specification	2x 14W LED /3000K CRI 80/870lm
LED	CREE PHILIPS LUMILEDS
IP Rating	IP20
Voltage	220-240V
Beam Angle	20°/40°/60°
Rotation	0-85°/355°
Material	Aluminum



CE RoHS IP20    

SP-9005




5 W



SP-9009




7 W



SP-9015




12 W



SP-9025



20 W




Frequency	CRI	Color Temperature	Driver	Material	Beam Angle	IP Rating	Installation
50Hz~60Hz	90	2800k/3200k/ 6000k/6500k	220-240V	Aluminum	15°/24°/36°	IP20	Recessed and trimless






SURFACE MOUNTED STICK T



KL-SP00167

Specification	2x 14W LED /3000K CRI 80/870lm
LED	CREE PHILIPS LUMILEDS
IP Rating	IP20
Voltage	220-240V
Beam Angle	20°/40°/60°
Rotation	0-85°/355°
Material	Gypsum & Aluminum



KL-SP00168


Specification	2x 14W LED /3000K CRI 80/870lm
LED	CREE PHILIPS LUMILEDS
IP Rating	IP20
Voltage	220-240V
Beam Angle	20°/40°/60°
Rotation	0-85°/355°
Material	Gypsum & Aluminum





TR-7206

Power	GU10
Input Voltage	220-240V
Material	Aluminum
Dimension	Ø52mm*150mm
Installation	O-EDGE
IP Rating	IP20






KL-SP00173




KL-SP00174



KL-SP00175



Gypsum fixture





KL-SP00176

Housing Color	Black/White
JacketColor	Black/White/Matt
Specification	10W LED / 3000K/ CRI80/90
LED	CREE PHILIPS
IP Rating	IP20
Voltage	220-240V
Beam Angle	20°/40°/60°
Rotation	0-45°/355°
Material	Aluminum



Housing Color:



Jacket:



KL-SP00177

Housing Color	Black/White
JacketColor	Black/White/Matt
Specification	10W LED / 3000K/ CRI80/90
LED	CREE PHILIPS
IP Rating	IP20
Voltage	220-240V
Beam Angle	20°/40°/60°
Rotation	0-45°/355°
Material	Gypsum & Aluminum



Housing Color:




Jacket:





KL-SP00178

Housing Color	Black/White
JacketColor	Black/White/Matt
Specification	2x10 LED / 3000K/ CRI90/ 1800lm
LED	CREE PHILIPS
IP Rating	IP20
Voltage	220-240V
Beam Angle	20°/40°/60°
Rotation	0-45°/355°
Material	Gypsum & Aluminum



243 X 133

Housing Color:



Jacket:




CE RoHS IP20



KL-SP00179

Housing Color	Black/White
JacketColor	Black/White/Matt Gold/Silver
Specification	10W LED / 3000K/ CRI 80/90
LED	CREE PHILIPS
IP Rating	IP20
Voltage	220-240V
Beam Angle	20°/40°/60°
Rotation	0-45°/355°
Material	Gypsum & Aluminum



Housing Color:



Jacket:




CE RoHS IP20




KL-SP00180

Housing Color	Black/White
JacketColor	Black/White/Matt
Specification	2x10 LED / 3000K/ CRI90/ 1800lm
LED	CREE PHILIPS
IP Rating	IP20
Voltage	220-240V
Beam Angle	20°/40°/60°
Rotation	0-45°/355°
Material	Gypsum & Aluminum



KL-SP00181

Housing Color	Black/White
JacketColor	Black/White/Matt
Specification	2x10 LED / 3000K/ CRI90/ 1800lm
LED	CREE PHILIPS
IP Rating	IP20
Voltage	220-240V
Beam Angle	20°/40°/60°
Rotation	0-45°/355°
Material	Gypsum & Aluminum



Housing Color:




Jacket:



KL-SP00182

Housing Color	Black/White
JacketColor	Black/White/Matt
Specification	10W LED / 3000K/ CRI80/90
LED	CREE PHILIPS
IP Rating	IP20
Voltage	220-240V
Beam Angle	20°/40°/60°
Rotation	0-45°/355°
Material	Gypsum & Aluminum



Housing Color:




Jacket:



KL-SP00183

Housing Color	Black/White
JacketColor	Black/White/Matt
Specification	2x10 LED / 3000K/ CRI90/ 1800lm
LED	CREE PHILIPS
IP Rating	IP20
Voltage	220-240V
Beam Angle	20°/40°/60°
Rotation	0-45°/355°
Material	Gypsum & Aluminum



Housing Color:




Jacket:



CE RoHS IP20    

KL-SP00184

Housing Color	Black/White
JacketColor	Black/White/Matt Gold / Silver
Specification	10W LED / 3000K/ CRIB0-90/ 870lm
LED	CREE PHILIPS LUMILEDS
IP Rating	IP20
Voltage	220-240V
Beam Angle	20°/40°/60°
Rotation	0-45°/355°
Material	Gypsum & Aluminum



Housing Color:



Jacket:



CE RoHS IP20    

KL-SP00185

Housing Color	Black/White
JacketColor	Black/White/Matt Gold/Silver
Specification	10W LED / 3000K/ CRIB0-90/ 870lm
LED	CREE PHILIPS LUMILEDS
IP Rating	IP20
Voltage	220-240V
Beam Angle	20°/40°/60°
Rotation	0-45°/355°
Material	Gypsum & Aluminum



Housing Color:



Jacket:



KL-SP00186 (GU10 Version Optional)

Housing Color	Black/White
JacketColor	Black/White/Matt Gold / Silver
Specification	14W LED / 3000K/ CR180/ 870lm
LED	CREE PHILIPS LUMILEDS
IP Rating	IP20
Voltage	220-240V
Beam Angle	20°/40°/60°
Rotation	0-45°/355°
Material	Gypsum & Aluminum

KL-SP00187

- Product Size: $\varnothing 120 \times 190$
- Housing Color: Black/White
- Jacket Color: Black/White/Matt Gold/Silver
- Specification: 14W LED/ 3000K/ CR180-90
- LED Chip: CREE[®] PHILIPS LUMILEDS
- IP Rating: IP20
- Voltage: 220-240V
- Rotation: 0-90°/ 355°
- Beam Angle: 20°/40°/60°
- Material: Aluminum



Housing Color:



Jacket:





MAGIC STICK SLIM




Gypsum:



KL-SP00188

Housing Color	Black/White
Specification	1x2 W LED / 3000K
LED	CREE
IP Rating	IP20
Voltage	220-240V
Beam Angle	20°/40°/60°
Rotation	0-20°
Material	Gypsum & Aluminum




CE RoHS IP20    



KL-SP00189

Product Size	155x155x230
Specification	MR16/MAX 50W/3000K
Stick Color	Black / White
IP Rating	IP20
Voltage	220-240V
Beam Angle	20°/40°/60°
Rotation	0-20°
Material	Gypsum & Aluminum




CE RoHS IP20    



KL-SP00190

Product Size	155x155x430
Specification	MR16/MAX 50W/3000K
Stick Color	Black / White
IP Rating	IP20
Voltage	220-240V
Beam Angle	20°/40°/60°
Rotation	0-20°
Material	Gypsum & Aluminum



CE RoHS IP20

AZ-6708





Voltage	230V 50
Frequency	60Hz
Body Color	White & Black
Material	Aluminum

AZ-5507



AZ-7512



Voltage	AC 220-240V
Power	7W
Beam Angle	15°/24°/36°
Color Rendering Index	80/90°
Power Factor	0.7/0.9
Color Temperature	3000/4000/6000k
CRI	90
IP Rating	IP20
Material	Aluminum



AZ-TR-1004-12



AZ-TR-1004-8




Voltage	AC 220-240V
Beam Angle	10°/15°/24°/36°/55°
Color	Gold/Black/White/...
Power Factor	0.5/0.9
Color Temperature	3000/4000/6000k
CRI	90
IP Rating	IP20
Material	Aluminum

AZ-TR-1004-3




Voltage	AC 220-240V
Power	3W
Beam Angle	15°/24°/36°
Color	Gold/Black/White/...
Power Factor	0.5/0.9
Color Temperature	3000/4000/6000k
CRI	90
IP Rating	IP20
Material	Aluminum

AZ-1004-12




Voltage	220-240V
Power	12W
Beam Angle	10°/15°/24°/36°/55°
Color	Gold/Black/White
Power Factor	0.5/0.9
Color Temperature	3000/4000/6000k
CRI	90
IP Rating	IP20
Material	Aluminum

AZ-1004-8




Voltage	AC 220-240V
Power	8W
Beam Angle	15°/24°/36°/55°
Color	Gold/Black/White
Power Factor	0.5/0.9
Color Temperature	3000/4000/6000k
CRI	90
IP Rating	IP20
Material	Aluminum

AZ-1004-3



Voltage	AC 220-240V
Power	3W
Beam Angle	15°/24°/36°
Color	Gold/Black/White
Power Factor	0.5/0.9
Color Temperature	3000/4000/6000k
CRI	90
IP Rating	IP20
Material	Aluminum

AZ-2201-12




Voltage	220-240V
Power	12W
Beam Angle	10°/15°/24°/36°/55°
Color	Gold/Black/White...
Power Factor	0.5/0.9
Color Temperature	3000/4000/6000k
CRI	90
IP Rating	IP20
Material	Aluminum

AZ-2201-8




Voltage	AC 220-240V
Power	8W
Beam Angle	15°/24°/36°/55°
Color	Gold/Black/White
Power Factor	0.5/0.9
Color Temperature	3000/4000/6000k
CRI	90
IP Rating	IP20
Material	Aluminum




AZ-2201-3



Voltage	AC 220-240V
Power	3W
Beam Angle	15°/24°/36°
Color	Gold/Black/White...
Power Factor	0.5/0.9
Color Temperature	3000/4000/6000k
CRI	90
IP Rating	IP20
Material	Aluminum






AZ-2503





Voltage	AC 220-240V
Power	2W
Color Temperature	2800-6500k
Luminous Flux	140 lm
Power Factor	0.5
CRI	90
IP Rating	IP20
Beam Angle	24°
Material	Aluminum

AZ-3108



Voltage	230V 50
Power	60 HZ
Color	White & Black
Power Factor	0.5/0.9
Material	Aluminum

AZ-4208



Voltage	230V 50
Power	60 HZ
Color	White & Black
Power Factor	0.5/0.9
Material	Aluminum





KL-SP00191

LAMP DETAILS

GU10 1X15W MAX
Optional: LED GU10


PRODUCT DETAILS

230V~50/60Hz
Material : Aluminum

PRODUCT SIZE / WEIGHT

0.14Kg
H: 49mm D: 90mm

- Body Color
- Black
 - White
 - Gold
 - Copper
- Reflector
- Copper
 - Black
 - White
 - Gold
 - Silver



KL-SP00193

LAMP DETAILS

GU10 1X15W MAX
Optional: LED GU10

PRODUCT DETAILS

230V~50/60Hz
Material : Aluminum

PRODUCT SIZE / WEIGHT

0.08Kg
H: 52mm D: 83mm

- Body Color
- Black
 - White
 - Gold
 - Copper
- Reflector
- Copper
 - Black
 - White
 - Gold
 - Silver



KL-SP00192

LAMP DETAILS


GU10 1X15W MAX
Optional: LED GU10

PRODUCT DETAILS

230V~50/60Hz
Material : Aluminum

PRODUCT SIZE / WEIGHT

0.14Kg
L: 90mm W: 90mm H: 68mm



KL-SP00194

LAMP DETAILS

GU10 1X15W MAX
Optional: LED GU10


PRODUCT DETAILS

230V~50/60Hz
Material : Aluminum

PRODUCT SIZE / WEIGHT

0.08Kg
L: 86mm W: 86mm H: 40mm

- Body Color
- Black
 - White
 - Gold
 - Copper
- Reflector
- Copper
 - Black
 - White
 - Gold
 - Silver



KL-SP00195

LAMP DETAILS


GU10 1X15W MAX
Optional: LED GU10

PRODUCT DETAILS

230V~50/60Hz
Material : Aluminum

PRODUCT SIZE / WEIGHT

12Kg
H: 54mm D: 90mm



Body Color

-  Black
-  White
-  Gold
-  Copper

Reflector

-  Copper
-  Black
-  White
-  Gold
-  Silver



KL-SP00196

LAMP DETAILS

GU10 1X15W MAX
Optional: LED GU10



PRODUCT DETAILS

230V~50/60Hz
Total wattage: 8.5W
Material : Aluminum / Steel

PRODUCT SIZE / WEIGHT

0.14Kg
L: 90mm W: 90mm H: 55mm

Body Color

-  Black
-  White
-  Gold
-  Copper

Reflector

-  Copper
-  Black
-  White
-  Gold
-  Silver



KL-SP00197



LAMP DETAILS

GU10 1X15W MAX
Optional: LED GU10

PRODUCT DETAILS

230V~50/60Hz
Material : Aluminum/Steel

PRODUCT SIZE / WEIGHT

0.28Kg
D: 112mm H: 118mm D: 57mm



Body Color

- Black
- White
- Gold
- Copper

Reflector

- Copper
- Black
- White
- Gold
- Silver

KL-SP00198

LAMP DETAILS


GU10 1X15W MAX
Optional: LED GU10

PRODUCT DETAILS

230V~50/60Hz
Total wattage: 8.5W
Material : Aluminum / Steel


PRODUCT SIZE / WEIGHT

0.1Kg
H: 69mm D: 59mm



- black
- white
- gold
- copper






KL-SP00199

LAMP DETAILS
LED:36V 250mA LED wattage 9.3W
PRODUCT DETAILS
230V~50/60Hz Total wattage: 11W Material : Aluminum
PRODUCT SIZE / WEIGHT
0.22Kg H: 100mm D: 69.2mm

- Body Color
- Black
 - White
 - Gold
 - Copper
- Reflector
- Copper
 - Black
 - White
 - Gold
 - Silver



KL-SP00200

LAMP DETAILS
LED:36V 500mA LED wattage 18W
PRODUCT DETAILS
230V~50/60Hz Total wattage: 21W Material : Aluminum
PRODUCT SIZE / WEIGHT
0.34Kg H: 83.6mm D: 115mm





PRODUCTS CATALOGUE | **SPOT LIGHTS**



KL-SP00203

LAMP DETAILS

GU10 max 1x15W
Optional: LED

PRODUCT DETAILS

230V~50/60Hz
Material : Aluminum

PRODUCT SIZE / WEIGHT

0.1Kg
H: 35mm D: 90mm

-  black
-  white
-  gold
-  copper



KL-SP00204

LAMP DETAILS

GU10 max 1x15W
Optional: LED

PRODUCT DETAILS

230V~50/60Hz
Total wattage: 8.5W
Material : Aluminum / Steel

PRODUCT SIZE / WEIGHT

0.16Kg
H: 35mm D: 9mm


-  black
-  white
-  gold
-  copper



KL-SP00205

LAMP DETAILS
GU10 max 1x15W Optional: LED
PRODUCT DETAILS
230V~50/60Hz Material : Aluminum/Glass
PRODUCT SIZE / WEIGHT
0.14Kg H: 50mm D: 90mm

- black
- white
- gold
- copper




KL-SP00206

LAMP DETAILS
GU10 max 1x15W Optional: LED
PRODUCT DETAILS
230V~50/60Hz Material : Aluminum/Glass
PRODUCT SIZE / WEIGHT
0.14Kg H: 50mm D: 90mm

- black
- white
- gold
- copper





KL-SP00207

LAMP DETAILS

GU10 max 1x15W
Optional: LED

PRODUCT DETAILS

230V~50/60Hz
Material : Aluminum

PRODUCT SIZE / WEIGHT

0.12Kg
W: 115mm H: 42mm D: 115mm

Body Color

-  black
-  white
-  gold
-  copper

Reflector

-  White
-  Black
-  Sliver
-  Gold
-  Gold



KL-SP00208

LAMP DETAILS

GU10 max 1x15W
Optional: LED

PRODUCT DETAILS

230V~50/60Hz
Material : Aluminum / Steel

PRODUCT SIZE / WEIGHT


0.09Kg
H: 42mm D: 113.5mm


Body Color

-  black
-  white
-  gold
-  copper

Reflector

-  White
-  Black
-  Sliver
-  Gold
-  Gold





KL-SP00209

LAMP DETAILS

GU10 max 1x15W
Optional: LED


PRODUCT DETAILS

230V~50/60Hz
Material : Aluminum

PRODUCT SIZE / WEIGHT

0.1Kg
L:77.5mm W:77.5mm H:42.5mm

-  black
-  white
-  gold
-  copper



KL-SP00210

LAMP DETAILS

2x35W max
Optional: LED

PRODUCT DETAILS

230V~50/60Hz
Material : Aluminum / Steel

PRODUCT SIZE / WEIGHT


0.12Kg
L: 77.5 W: 150.5mm H: 42.5mm

-  black
-  white
-  gold
-  copper




KL-SP00211

LAMP DETAILS
GU10 1X13W max Optional: LED GU10
PRODUCT DETAILS
220-240V~50/60Hz Material : Aluminum / Steel
PRODUCT SIZE / WEIGHT
0.12Kg H: 35mm D: 100mm




KL-SP00212

LAMP DETAILS
GU10 1X13W max Optional: LED GU10
PRODUCT DETAILS
220-240V~50/60Hz Material : Aluminum / Steel
PRODUCT SIZE / WEIGHT
0.16Kg W: 100mm H: 35mm L: 100mm




KL-SP00213

LAMP DETAILS
GU10 2X13W max Optional: LED GU10
PRODUCT DETAILS
220-240V~50/60Hz Material : Aluminum / Steel
PRODUCT SIZE / WEIGHT
0.24Kg W: 100mm H: 35mm L: 183mm



KL-SP00214

LAMP DETAILS
GU10 3X13W max Optional: LED GU10
PRODUCT DETAILS
220-240V~50/60Hz Material : Aluminum / Steel
PRODUCT SIZE / WEIGHT
0.3Kg W: 100mm H: 35mm L: 265mm





- Body Color
- Black
 - White
 - Gold
 - Copper
- Reflector
- Copper
 - Black
 - White
 - Gold
 - Silver



KL-SP00215

LAMP DETAILS

GU10 1X13W max
Optional: LED GU10

PRODUCT DETAILS

220-240V~50/60Hz
Material : Aluminum / Steel

PRODUCT SIZE / WEIGHT

0.18Kg
H: 151mm D: 57mm



- Body Color
- Black
 - White
 - Gold
 - Copper
- Reflector
- Copper
 - Black
 - White
 - Gold
 - Silver



KL-SP00216-400

LAMP DETAILS


GU10 1X13W max
Optional: LED GU10

PRODUCT DETAILS

220-240V~50/60Hz
Material : Aluminum / Steel

PRODUCT SIZE / WEIGHT

0.32Kg
H: 551mm D: 57mm



- Body Color
- Black
 - White
 - Gold
 - Copper
- Reflector
- Copper
 - Black
 - White
 - Gold
 - Silver



KL-SP00217-700

LAMP DETAILS


GU10 1X13W max
Optional: LED GU10

PRODUCT DETAILS

220-240V~50/60Hz
Material : Aluminum / Steel

PRODUCT SIZE / WEIGHT

0.38Kg
H: 851mm D: 57mm





KL-SP00218

LAMP DETAILS

2*LED:37V 200mA
LED wattage 14.8W

PRODUCT DETAILS

220-240V~50/60Hz
Total wattage: 16W
Material : Aluminum

PRODUCT SIZE / WEIGHT

0.62Kg
D:62.5mm H:76mm L:162mm

-  black
-  white
-  gold
-  copper



KL-SP00219

LAMP DETAILS










LED:39V 500mA
LED wattage 18.5W


PRODUCT DETAILS

220-240V~50/60Hz
Total wattage: 21W
Material : Aluminum

PRODUCT SIZE / WEIGHT

0.44Kg
D:95mm H:85mm

- Body Color**
-  Black
-  White
-  Gold
-  Copper
- Reflector**
-  Copper
-  Black
-  White
-  Gold
-  Silver



KL-SP00220

LAMP DETAILS

LED: 36V 180mA
LED wattage: 6.48W

PRODUCT DETAILS

220-240V~50/60Hz
Total wattage: 7W
Material : Aluminum / Steel

PRODUCT SIZE / WEIGHT

0.28Kg
H: 540mm D: 40mm

- black
- white
- gold
- copper





KL-SP00221-400

LAMP DETAILS


GU10 max 1x15W
Optional: LED GU10

PRODUCT DETAILS

230V~50/60Hz
Material : Aluminum

PRODUCT SIZE / WEIGHT

0.28Kg
H: 530mm D: 57mm



Body Color

-  Black
-  White
-  Gold
-  Copper

Reflector

-  Copper
-  Black
-  White
-  Gold
-  Silver

KL-SP00222-700

LAMP DETAILS


GU10 max 1x15W
Optional: LED GU10

PRODUCT DETAILS

230V~50/60Hz
Material : Aluminum

PRODUCT SIZE / WEIGHT

0.36Kg
H: 830mm D: 57mm



Body Color

-  Black
-  White
-  Gold
-  Copper

Reflector

-  Copper
-  Black
-  White
-  Gold
-  Silver





KL-SP00223

LAMP DETAILS

GU10 max 1x15W
Optional: LED GU10

PRODUCT DETAILS

230V~50/60Hz
Material : Aluminum

PRODUCT SIZE / WEIGHT

0.16Kg
H: 108mm D: 57mm

-  black
-  white
-  gold
-  copper



KL-SP00224

LAMP DETAILS

GU10 max 1x15W
Optional: LED GU10

PRODUCT DETAILS

230V~50/60Hz
Material : Aluminum

PRODUCT SIZE / WEIGHT


0.16Kg
H: 100mm D: 56mm

-  black
-  white
-  gold
-  copper




KL-SP00225

LAMP DETAILS
GU10 max 1x35W Optional: LED GU10
PRODUCT DETAILS
230V~50/60Hz Material : Aluminum
PRODUCT SIZE / WEIGHT
0.24Kg H: 85mm D: 80mm



KL-SP00226


LAMP DETAILS
GU10 max 1x35W Optional: LED
PRODUCT DETAILS
230V~50/60Hz Material : Aluminum
PRODUCT SIZE / WEIGHT
0.36Kg H: 100mm D: 96mm



- black
- white
- gold
- copper


KL-SP00227

LAMP DETAILS
GU10 max 1x35W Optional: LED
PRODUCT DETAILS
230V~50/60Hz Material : Aluminum
PRODUCT SIZE / WEIGHT
0.52Kg L: 97.5mm W: 97.5mm H: 125mm




KL-SP00228

LAMP DETAILS
GU10 max 1x35W Optional: LED
PRODUCT DETAILS
230V~50/60Hz Material : Aluminum
PRODUCT SIZE / WEIGHT
0.32Kg L: 80mm W: 80mm H: 85mm



KL-SP00229

LAMP DETAILS
GU10 max 1x15W Optional: LED GU10
PRODUCT DETAILS
230V-50/60Hz Material : Aluminum/PC
PRODUCT SIZE / WEIGHT
0.41Kg H: 120mm D: 95mm



- black
- white
- gold
- copper

KL-SP00230

LAMP DETAILS
GU10 max 1x15W Optional: LED GU10
PRODUCT DETAILS
230V-50/60Hz Material : Aluminum
PRODUCT SIZE / WEIGHT
0.49Kg L: 96mm W: 96mm H: 120mm





KL-SP00231

LAMP DETAILS


GU10 max 1x15W
Optional: LED GU10

PRODUCT DETAILS

230V~50/60Hz
Material : Aluminum

PRODUCT SIZE / WEIGHT

0.4Kg
H: 140mm D: 95.5mm



Body Color

- black
- white
- gold
- copper

Reflector

- White
- Black
- Silver
- Gold
- Gold



KL-SP00232

LAMP DETAILS


GU10 max 1x15W
Optional: LED GU10

PRODUCT DETAILS

230V~50/60Hz
Material : Aluminum

PRODUCT SIZE / WEIGHT

0.4Kg
L: 97mm W: 97mm H: 140mm





PRODUCTS CATALOGUE | **SPOT LIGHTS**

KL-SP00233


LAMP DETAILS
GU10 max 1x35W Optional: LED GU10
LED: 37V 250mA LED wattage : 9.25W
PRODUCT DETAILS
230V~50/60Hz Material : Aluminum
PRODUCT SIZE / WEIGHT
0.6Kg H: 100mm D: 100mm



- black
- white
- gold
- copper

KL-SP00234


LAMP DETAILS
GU10 max 1x35W Optional: LED
2*LED: 37V 250mA LED wattage : 18.5W
PRODUCT DETAILS
230V~50/60Hz Material : Aluminum
PRODUCT SIZE / WEIGHT
0.48Kg L: 97mm W: 97mm H: 140mm



- black
- white
- gold
- copper

KL-SP00235

LAMP DETAILS
GU10 max 1x35W Optional: LED GU10
LED: 37V 250mA LED wattage : 9.25W
PRODUCT DETAILS
230V~50/60Hz Material : Aluminum
PRODUCT SIZE / WEIGHT
0.92Kg L: 105mm W: 105mm H: 100mm



- black
- white
- gold
- copper


SU-DL-323-SQ3



Input Voltage(V)	Power Factor	Lamp Power	Beam Angle	Luminous Efficiency(lm)	CRI (Ra>)
AC220-240V	>0.6	3W	24 degree	80-85lm/W	90

Color Temperature(CCT)	Working Temperature	Working Lifetime	Material	IP Rating
3000(K)	-20°C-75°C	≥30000 hrs	Die-cast Aluminum	IP20

SUBL-323-R3



Input Voltage(V)	Power Factor	Lamp Power	Beam Angle	Luminous Efficiency(lm)	CRI (Ra>)
AC220-240V	>0.6	3W	24 degree	80-85lm/W	90

Color Temperature(CCT)	Working Temperature	Working Lifetime	Material	IP Rating
3000(K)	-20°C-75°C	≥30000 hrs	Die-cast Aluminum	IP20



KL-SP00236

LAMP DETAILS


GU10 3X13W max
Optional: LED GU10

PRODUCT DETAILS

230V~50/60Hz
Material : Aluminum / Steel

PRODUCT SIZE / WEIGHT

1.58Kg
H:875mm D:57mm W:40mm L: 720mm



- black
- white
- gold
- copper



- black
- white
- gold
- copper

KL-SP00237

LAMP DETAILS


GU10 5X13W max
Optional: LED GU10

PRODUCT DETAILS

230V~50/60Hz
Material : Aluminum / Steel

PRODUCT SIZE / WEIGHT

2.1Kg
H:875mm D:57mm W:30mm L: 1200mm





- black
- white
- gold
- copper



KL-SP00238

LAMP DETAILS



GU10 5X13W max
Optional: LED GU10

PRODUCT DETAILS

230V~50/60Hz
Material : Aluminum / Steel

PRODUCT SIZE / WEIGHT

2.1Kg
H:875mm D:57mm W:30mm L:1200mm



KL-SP00239

LAMP DETAILS

GU10 1X13W max
Optional: LED

PRODUCT DETAILS

220-240V~50/60Hz
Material : Aluminum

PRODUCT SIZE / WEIGHT

0.54Kg
H:350mm D:56.5mm



KL-SP00240

LAMP DETAILS

GU10 3X13W max
Optional: LED GU10

PRODUCT DETAILS

230V~50/60Hz
Material : Aluminum / Steel

PRODUCT SIZE / WEIGHT

1.62Kg
H:900mm D:57mm W:30mm L:725mm

- black
- white
- gold
- copper



KL-SP00241

LAMP DETAILS

GU10 4X13W max
Optional: LED GU10


PRODUCT DETAILS

230V~50/60Hz
Material : Aluminum / Steel

PRODUCT SIZE / WEIGHT

1.8Kg
H:900mm D:57mm W:30mm L:965mm

- black
- white
- gold
- copper





- black
- white
- gold
- copper

KL-SP00242

LAMP DETAILS


GU10 5X13W max
Optional: LED GU10

PRODUCT DETAILS

230V~50/60Hz
Material : Aluminum / Steel

PRODUCT SIZE / WEIGHT

2.2Kg
H:800mm D:57mm W:30mm L:1205mm



- black
- white
- gold
- copper

KL-SP00243

LAMP DETAILS

GU10 1X15W max
Optional: LED

PRODUCT DETAILS

230V~50/60Hz
Material : Aluminum / Steel

PRODUCT SIZE / WEIGHT

0.56Kg
H:100mm W:105mm L:105mm

KL-SP00244

LAMP DETAILS



GU10 3X13W max
Optional: LED GU10



PRODUCT DETAILS

220-240V-50/60Hz
Material : Aluminum / Steel

PRODUCT SIZE / WEIGHT

1.06Kg
H:127mm D:220mm

- Body Color
-  Black
 -  White
 -  Gold
 -  Copper
- Reflector
-  Copper
 -  Black
 -  White
 -  Gold



KL-SP00245

LAMP DETAILS

GU10 2X13W max
Optional: LED GU10

PRODUCT DETAILS

220-240V-50/60Hz
Material : Aluminum / Steel

PRODUCT SIZE / WEIGHT

0.75Kg
H:127mm L:350mm W:60mm





KL-SP00246

LAMP DETAILS


GU10 1X15W max
Optional: LED GU10

PRODUCT DETAILS

230V-50/60Hz
Material : Aluminum / Steel


PRODUCT SIZE / WEIGHT

0.18Kg
H:130mm D:57mm



- Body Color
- Black
 - White
 - Gold
 - Copper
- Reflector
- Copper
 - Black
 - White
 - Gold

- black
- white
- gold
- copper



KL-SP00247

LAMP DETAILS

GU10 1X15W max
Optional: LED GU10

PRODUCT DETAILS

230V-50/60Hz
Material : Aluminum

PRODUCT SIZE / WEIGHT


0.26Kg
H:157mm D:56mm





KL-SP00248


LAMP DETAILS
LED: 36V 150mA LED wattage : 5.4W
PRODUCT DETAILS
220-240V~50/60Hz Total wattage: 6W Material : Aluminum
PRODUCT SIZE / WEIGHT
0.26Kg H:160mm D:40mm




-  black
-  white
-  gold
-  copper

KL-SP00249


LAMP DETAILS
LED: 36V 300mA LED wattage : 11W
PRODUCT DETAILS
220-240V~50/60Hz Total wattage: 13W Material : Aluminum
PRODUCT SIZE / WEIGHT
0.56Kg H:196mm D:58mm



- Body Color
-  Black
 -  White
 -  Gold
 -  Copper
- Reflector
-  Copper
 -  Black
 -  White
 -  Gold


KL-SP00250

LAMP DETAILS
GU10 1X13W max Optional: LED GU10
PRODUCT DETAILS
220-240V~50/60Hz Material : Aluminum
PRODUCT SIZE / WEIGHT
0.38Kg H:196mm D:58mm



-  black
-  white
-  gold
-  copper





KL-SP00251

LAMP DETAILS

GU10 1X13W max
Optional: LED GU10

PRODUCT DETAILS

220-240V-50/60Hz
Material : Aluminum/Steel

PRODUCT SIZE / WEIGHT

0.24Kg
H:127mm D:100mm

Body Color

- Black
- White
- Gold
- Copper

Reflector

- Copper
- Black
- White
- Gold



KL-SP00252

LAMP DETAILS


GU10 1X13W max
Optional: LED GU10

PRODUCT DETAILS

220-240V-50/60Hz
Material : Aluminum/Steel

PRODUCT SIZE / WEIGHT


0.33Kg
L:100mm H:127mm W:100mm






KL-SP00253

LAMP DETAILS
LED: 36V 180mA LED wattage : 6.48W
PRODUCT DETAILS
220-240V~50/60Hz Total wattage: 7W Material : Aluminum/Steel
PRODUCT SIZE / WEIGHT
0.22Kg H:143mm D:70mm



KL-SP00254

LAMP DETAILS
2*LED: 36V 180mA LED wattage : 12.96W
PRODUCT DETAILS
220-240V~50/60Hz Total wattage: 14W Material : Aluminum/Steel
PRODUCT SIZE / WEIGHT
0.56Kg W:40mm H:143mm D:40mm L:260mm



KL-SP00255

LAMP DETAILS


3*LED: 36V 180mA
LED wattage : 19.5W

PRODUCT DETAILS

220-240V~50/60Hz
Total wattage: 21W
Material : Aluminum/Steel

PRODUCT SIZE / WEIGHT

0.82Kg
W:40mm H:143mm D:40mm L: 390mm



KL-SP00256

LAMP DETAILS

4*LED: 36V 180mA
LED wattage : 25.92W

PRODUCT DETAILS

220-240V~50/60Hz
Total wattage: 28W
Material : Aluminum/Steel

PRODUCT SIZE / WEIGHT

0.56Kg
W:40mm H:143mm D:40mm L: 520mm



KL-SP00255



KL-SP00256



- black
- white
- gold
- copper

KL-SP00258



KL-SP00257



KL-SP00257

LAMP DETAILS


5*LED: 36V 180mA
LED wattage : 32.4W

PRODUCT DETAILS

220-240V~50/60Hz
Total wattage: 35W
Material : Aluminum/Steel

PRODUCT SIZE / WEIGHT

0.56Kg
H:143mm D:40mm W:40mm L:650mm



KL-SP00258

LAMP DETAILS


3*LED: 36V 180mA
LED wattage : 19.44W


PRODUCT DETAILS

220-240V~50/60Hz
Total wattage: 21W
Material : Aluminum/Steel

PRODUCT SIZE / WEIGHT

0.66Kg
H:143mm D:40mm W:120mm






- Body Color
- Black
 - White
 - Gold
 - Copper
- Reflector
- Copper
 - Black
 - White
 - Gold

KL-SP00259

LAMP DETAILS
LED: 37V 500mA LED wattage : 18.5W
PRODUCT DETAILS
220-240V-50/60Hz Total wattage: 20W Material : Aluminum
PRODUCT SIZE / WEIGHT
0.48Kg H: 75mm D: 95mm





KL-SP00260

LAMP DETAILS
GU10 1X15W max Optional: LED GU10
PRODUCT DETAILS
230V~50/60Hz Material : Aluminum
PRODUCT SIZE / WEIGHT
0.28Kg H:551mm D:57mm

KL-SP00261

LAMP DETAILS
GU10 1X15W max Optional: LED GU10
PRODUCT DETAILS
230V~50/60Hz Material : Aluminum
PRODUCT SIZE / WEIGHT
0.34Kg H:851mm D:57mm

- Body Color
- Black
 - White
 - Gold
 - Copper
- Reflector
- Copper
 - Black
 - White
 - Gold



KL-SP00262

LAMP DETAILS
GU10 1X15W max Optional: LED GU10
PRODUCT DETAILS
230V~50/60Hz Total wattage: 11W Material : Aluminum/PA
PRODUCT SIZE / WEIGHT
0.2Kg H:152mm D:57mm

KL-SP00263

LAMP DETAILS
LED: 36V 500mA LED wattage : 18W
PRODUCT DETAILS
230V~50/60Hz Total wattage: 21W Material : Aluminum
PRODUCT SIZE / WEIGHT
0.2Kg H:162mm D:56mm



- black
- white
- gold
- copper



KL-SP00264

LAMP DETAILS


LED: 37V 500mA
LED wattage : 18.5W

PRODUCT DETAILS

230V~50/60Hz
Total wattage: 21W
Material : Aluminum

PRODUCT SIZE / WEIGHT

0.37Kg
H:100mm D:95mm



Body Color

-  Black
-  White
-  Gold
-  Copper

Reflector

-  Copper
-  Black
-  White
-  Gold

KL-SP00265

LAMP DETAILS


LED: 37V 500mA
LED wattage : 18.5W

PRODUCT DETAILS

230V~50/60Hz
Total wattage: 21W
Material : Aluminum

PRODUCT SIZE / WEIGHT

0.42Kg
L: 96mm H:100mm W:96mm





KL-SP00266

LAMP DETAILS

LED: 37V 350mA
LED wattage : 13W

PRODUCT DETAILS

230V-50/60Hz
Total wattage: 15W
Material : Aluminum

PRODUCT SIZE / WEIGHT

0.32Kg
H:205mm D:60mm



-  black
-  white
-  gold
-  copper

KL-SP00267

LAMP DETAILS


LED: 36V 700mA
LED wattage : 26W

PRODUCT DETAILS

220-240V-50/60Hz
Total wattage: 30W
Material : Aluminum

PRODUCT SIZE / WEIGHT

0.76Kg
H:200mm D:85mm







- black
- white
- gold
- copper

KL-SP00268


LAMP DETAILS
LED: 37V 300mA LED wattage : 115W
PRODUCT DETAILS
230V-50/60Hz Total wattage: 14W Material : Aluminum
PRODUCT SIZE / WEIGHT
0.54Kg H:118mm D:100mm



- black
- white
- gold
- copper

KL-SP00271

LAMP DETAILS
LED: 36V 200mA LED wattage : 7.5W
PRODUCT DETAILS
230V-50/60Hz Total wattage: 8.5W Material : Aluminum/Steel
PRODUCT SIZE / WEIGHT
0.24Kg H:154mm D:40mm





KL-SP00269

LAMP DETAILS

LED: 36V 250mA
LED wattage : 9W

PRODUCT DETAILS

230V-50/60Hz
Total wattage: 10.5W
Material : Aluminum

PRODUCT SIZE / WEIGHT

0.3Kg
H:170mm D:40mm



KL-SP00270

LAMP DETAILS

LED: 36V 350mA
LED wattage : 13W

PRODUCT DETAILS

230V-50/60Hz
Total wattage: 15W
Material : Aluminum

PRODUCT SIZE / WEIGHT

0.4Kg
H:180mm D:60mm



KL-SP00272

LAMP DETAILS


LED: 36V 700mA
LED wattage : 26W

PRODUCT DETAILS

230V-50/60Hz
Total wattage: 30W
Material : Aluminum

PRODUCT SIZE / WEIGHT

0.52Kg
H:230mm D:60mm



KL-SP00273

LAMP DETAILS

LED: 36V 900mA
LED wattage : 33.5W

PRODUCT DETAILS

230V-50/60Hz
Total wattage: 40W
Material : Aluminum/Steel

PRODUCT SIZE / WEIGHT

0.94Kg
H:242mm D:85mm





KL-SP00274

LAMP DETAILS


LED: 37V 500mA
LED wattage : 18.5W

PRODUCT DETAILS

220-240V-50/60Hz
Total wattage: 21W
Material : Aluminum

PRODUCT SIZE / WEIGHT

0.6Kg
H:170mm D:60mm



- black
- white
- gold
- copper



KL-SP00275

LAMP DETAILS


LED: 37V 900mA
LED wattage : 33.3W

PRODUCT DETAILS

220-240V-50/60Hz
Total wattage: 38W
Material : Aluminum

PRODUCT SIZE / WEIGHT

0.94Kg
H:180mm D:85mm





KL-SP00276

LAMP DETAILS


GU10 1X35W max
Optional: GU10

PRODUCT DETAILS

220-240V-50/60Hz
Material : Aluminum/Steel

PRODUCT SIZE / WEIGHT

0.22Kg
H:128mm D:56mm



KL-SP00277

LAMP DETAILS


GU10 1X35W max
Optional: GU10

PRODUCT DETAILS

220-240V-50/60Hz
Material : Aluminum/Steel

PRODUCT SIZE / WEIGHT

0.24Kg
H:130mm D:54.5mm






KL-SP00278


LAMP DETAILS
LED: 36V 150mA LED wattage : 26W
PRODUCT DETAILS
230V-50/60Hz Total wattage: 6.5W Material : Aluminum
PRODUCT SIZE / WEIGHT
0.3Kg H:160mm D:40mm

- black
- white
- gold
- copper



KL-SP00279


LAMP DETAILS
LED: 36V 300mA LED wattage : 11W
PRODUCT DETAILS
220-240V-50/60Hz Total wattage: 13W Material : Aluminum
PRODUCT SIZE / WEIGHT
0.6Kg H:196mm D:58mm



KL-SP00280

LAMP DETAILS
GU10 1X15W max LEDGU10
PRODUCT DETAILS
220-240V-50/60Hz Material : Aluminum/Steel
PRODUCT SIZE / WEIGHT
0.4Kg H:196mm D:58mm

- Body Color
- Black
 - White
 - Gold
 - Copper
- Reflector
- Copper
 - Black
 - White
 - Gold





KL-SP00281

LAMP DETAILS

GU10 9X13W max
Optional: LED GU10

PRODUCT DETAILS


230V~50/60Hz
Material : Aluminum/Steel

PRODUCT SIZE / WEIGHT

4.0Kg
W:1125 H:2000mm D:57mm



- black
- white
- gold
- copper



KL-SP00282

LAMP DETAILS


GU10 1X35W max
Optional: LED

PRODUCT DETAILS

230V~50/60Hz
Material : Aluminum

PRODUCT SIZE / WEIGHT

0.58Kg
H:1562mm D:56mm





KL-SP00283

LAMP DETAILS


GU10 2X35W max
Optional: LED

PRODUCT DETAILS

230V~50/60Hz
Material : Aluminum

PRODUCT SIZE / WEIGHT

0.26Kg
L:180mm W:81mm H:156mm



- Body Color
- Black
 - White
 - Gold
 - Copper
- Reflector
- Copper
 - Black
 - White
 - Gold

KL-SP00284

LAMP DETAILS

GU10 1X15W max
Optional: LED GU10

PRODUCT DETAILS

230V~50/60Hz
Material : Aluminum

PRODUCT SIZE / WEIGHT

0.26Kg
H:130mm D:57mm





KEYLIGHT

SPAIN

LIGHTING PRODUCTS

info@keylightspain.eu



Keylight Spain - Lucreative



Keylight_spain



Keylight



Keylight Spain