



KEYLIGHT
SPAIN
LIGHTING PRODUCTS



SPOTLIGHTS

ABOUT US

Keylight Spain is a leading specialist in lighting products from Valencia, Spain.


We use the latest **LED technology** to create a unique range of lighting solutions.

Known by the high quality of our materials and innovative approaches when it comes to lighting, we offer a comprehensive selection of products, including LED lights, luminaires, drivers, control systems, accessories and more.

Our creative scope allows us to tackle even the most complex lighting projects, while our extensive experience and customer service ensure your lighting needs are met with the utmost satisfaction.


Therefore, our mission is to meet and satisfy the needs of our clients, with tailored products and services including collaborative marketing campaigns and market-specific product design to support our partners worldwide.

SPOT LIGHTS





Light Altering Devices:




Honeycomb


Glass


Liner Spread Lens


Frosted Glass


Softening Lens

Reflector:



Black

White

Silver

Bronze

Gold

Black

White

Silver


Bronze

Gold



KL-SP00001

Voltage: 220-240V / 12V
Frequency: 50Hz
Lamp Holder: GU10 / GU5.3
Wattage: MAX LED 13W




 123×123



KL-SP00002

Voltage: 220-240V / 12V
Frequency: 50Hz
Lamp Holder: GU10 / GU5.3
Wattage: MAX LED 13W



 123×123



KL-SP00001


TRIMLESS DOWNLIGHT



KL-SP00002




Light Altering Devices:



Honeycomb



Glass



Liner Spread Lens



Frosted Glass



Softening Lens

Reflector:



Black Silver Bronze Gold




Black Silver Bronze Gold



KL-SP00003

Voltage: 220-240V / 12V
Frequency: 50Hz
Lamp Holder: GU10 / GU5.3
Wattage: MAX LED 13W




 123x123



KL-SP00004

Voltage: 220-240V / 12V
Frequency: 50Hz
Lamp Holder: GU10 / GU5.3
Wattage: MAX LED 13W




Ø120
 123x123



KL-SP00003

**TRIMLESS
DOWNLIGHT**




KL-SP00004



KL-SP00005

Voltage: 220-240V / 12V
Frequency: 50Hz
Lamp Holder: GU10 / GU5.3
Wattage: MAX LED 13W
Adjustable Angle: 30°





113×113





KL-SP00006

Voltage: 220-240V / 12V
Frequency: 50Hz
Lamp Holder: GU10 / GU5.3
Wattage: MAX LED 13W
Adjustable Angle: 30°




113×113



Honeycomb



Glass



Liner Spread Lens



Frosted Glass



Softening Lens


Reflector:





Silver Black Gold Bronze



Silver Black Gold Bronze





KL-SP00007



 133x133



KL-SP00008





 133x133


Voltage: 220-240V / 12V
Frequency: 50Hz
Lamp Holder: GU10 / GU5.3
Wattage: MAX LED 13W
Adjustable Angle: 30°




KL-SP00009




 161x161





Item No.	Voltage	Frequency	Light Source	Wattage
KL-SP00010	220-240V	50Hz	GU10	MAX 35W
	12V	50Hz	GU5.3	MAX 35W





Item No.	Voltage	Frequency	Light Source	Wattage
KL-SP00011	220-240V	50Hz	GU10	MAX 35W
	12V	50Hz	GU5.3	MAX 35W




Item No.	Voltage	Frequency	Light Source	Wattage
KL-SP00012	220-240V	50Hz	GU10	MAX 35W
	12V	50Hz	GU5.3	MAX 35W




Item No.	Voltage	Frequency	Light Source	Wattage
KL-SP00013	220-240V	50Hz	GU10	MAX 35W
	12V	50Hz	GU5.3	MAX 35W




Item No.	Voltage	Frequency	Light Source	Wattage
KL-SP00013	220-240V	50Hz	GU10	MAX 35W
	12V	50Hz	GU5.3	MAX 35W




Item No.	Voltage	Frequency	Light Source	Wattage
KL-SP00014	220-240V	50Hz	GU10	MAX 35W
	12V	50Hz	GU5.3	MAX 35W





Item No.	Voltage	Frequency	Light Source	Wattage
KL-SP00015	220-240V	50Hz	GU10	MAX 35W
	12V	50Hz	GU5.3	MAX 35W




Item No.	Voltage	Frequency	Light Source	Wattage
KL-SP00016	220-240V	50Hz	GU10	MAX 35W
	12V	50Hz	GU5.3	MAX 35W




Item No.	Voltage	Frequency	Light Source	Wattage
KL-SP00017	220-240V	50Hz	GU10	MAX 35W
	12V	50Hz	GU5.3	MAX 35W




Item No.	Voltage	Frequency	Light Source	Wattage
KL-SP00018	220-240V	50Hz	GU10	MAX 35W
	12V	50Hz	GU5.3	MAX 35W




Item No.	Voltage	Frequency	Light Source	Wattage
KL-SP00019	220-240V	50Hz	GU10	MAX 35W
	12V	50Hz	GU5.3	MAX 35W




Item No.	Voltage	Frequency	Light Source	Wattage
KL-SP00020	220-240V	50Hz	GU10	MAX 35W
	12V	50Hz	GU5.3	MAX 35W




Item No.	Voltage	Frequency	Light Source	Wattage
KL-SP00021	220-240V	50Hz	GU10	MAX 35W
	12V	50Hz	GU5.3	MAX 35W



Item No.	Voltage	Frequency	Light Source	Wattage
KL-SP00022	220-240V	50Hz	GU10	MAX 35W
	12V	50Hz	GU5.3	MAX 35W










Item No.	Voltage	Constant Output Current	Light Source	Wattage
KL-SP00023	DC 3.2V	350mA	CREE XB-D	MAX 1x1W/LED



Item No.	Voltage	Constant Output Current	Light Source	Wattage
KL-SP00024	DC 3.2V	350mA	CREE XB-D	MAX 1x1W/LED







Voltage: 220-240V
Frequency: 50Hz
Light Source: SMD 2835
Wattage: MAX 10W


COLOR/MATERIAL





White
 Gypsum
 (Paintable)



TRIMLESS DOWNLIGHT



Item No.
KL-SP00028  123x123 mm



Item No.
KL-SP00029





 123x123 mm



Voltage	Frequency	Light Source	Wattage
220-240V	50Hz	GU10	MAX 35W
12V	50Hz	GU5.3	MAX 35W









CE RoHS IP20

Voltage	Frequency	Light Source	Wattage
220-240V	50Hz	GU10	MAX 50W
12V	50Hz	GU5.3	MAX 50W




Item No.	Voltage	Frequency	Light Source	Wattage
KL-SP00033	220-240V	50Hz	GU10	MAX 35W
	12V	50Hz	GU5.3	MAX 35W








Item No.	Voltage	Frequency	Light Source	Wattage
KL-SP00034	12V	50Hz	AR111	MAX 50W




Item No.	Voltage	Frequency	Light Source	Wattage
KL-SP00035	12V	50Hz	AR111	MAX 50W




Item No.	Voltage	Frequency	Light Source	Wattage
KL-SP00036	12V	50Hz	AR111	MAX 50W




Item No.	Voltage	Frequency	Light Source	Wattage
KL-SP00037	220-240V	50Hz	GU10	MAX 2×35W
	12V	50Hz	GU5.3	MAX 2×35W




Item No.	Voltage	Frequency	Light Source	Wattage
KL-SP00038	220-240V	50Hz	GU10	MAX 2×35W
	12V	50Hz	GU5.3	MAX 2×35W





Item No.	Voltage	Frequency	Light Source	Wattage
KL-SP00039	220-240V	50Hz	GU10	MAX 2×35W
	12V	50Hz	GU5.3	MAX 2×35W





Item No.	Voltage	Frequency	Light Source	Wattage
KL-SP00040	220-240V	50Hz	GU10	MAX 2×35W
	12V	50Hz	GU5.3	MAX 2×35W




KL-SP00041



KL-SP00042




KL-SP00043




Item No.	Voltage	Frequency	Light Source	Wattage
KL-SP00041	220-240V	50Hz	LOB1507	11W
KL-SP00042	220-240V	50Hz	LOB1507	11W
KL-SP00043	220-240V	50Hz	LOB1507	11W




MC-9137



MC-9141



MC-9142




Item No.	Voltage	Frequency	Light Source	Wattage
KL-SP00044	220-240V	50Hz	GU10	MAX 35W
KL-SP00045	220-240V	50Hz	GU10	MAX 35W
KL-SP00046	220-240V	50Hz	GU10	MAX 35W

CE RoHS IP20

Item No.	Voltage	Frequency	Light Source	Wattage
KL-SP00047	220-240V	50Hz	RGB LED	MAX 2.5W

CE RoHS IP20

Item No.	Voltage	Frequency	Light Source	Wattage
KL-SP00048	220-240V	50Hz	E27	MAX 4x18W/CFL
KL-SP00049	220-240V	/	SMD 5050	MAX 12Wx1.6M




223x223mm

333x333 mm



KL-SP00050B




KL-SP00050A



KL-SP00051B



KL-SP00051A





Item No.	Voltage	Frequency	Light Source	Wattage
A	220-240V	50Hz	HONGLI LED	MAX 18W
B	220-240V	50Hz	HONGLI LED	MAX 9W



WYJŚCIE
EWAKUACYJNE





ⓘ Ø 183mm


ⓘ Ø 283mm



KL-SP00052B





KL-SP00053B



KL-SP00052A



KL-SP00053A



ⓘ 183x183mm

ⓘ 283x283mm

Item No.	Voltage	Frequency	Light Source	Wattage
A	220-240V	50Hz	HONGLI LED	MAX 18W
B	220-240V	50Hz	HONGLI LED	MAX 9W

NEW COLOR/MATERIAL






KL-SP00054



KL-SP00055



Color/Material:



Item No.	Voltage	Frequency	Light Source	Wattage
KL-SP00054	220-240V	50Hz	GU10	MAX 50W
	12V	50Hz	GU5.3	MAX 50W
KL-SP00055	220-240V	50Hz	GU10	MAX 50W
	12V	50Hz	GU5.3	MAX 50W


SURFACE MOUNTED CEILING LAMP



KL-SP00056





KL-SP00057



KL-SP00058



KL-SP00059






Color/Material:

	White Gypsum (Paintable)			Grey Smooth Cement
--	--------------------------------	--	--	--------------------------

CE RoHS IP20    


Voltage	Frequency	Light Source	Wattage
220-240V	50Hz	LED	MAX 9W



Item No.
KL-SP00062





Voltage	Frequency	Light Source	Wattage
220-240V	50Hz	GU10	MAX 50W



KL-SP00063




KL-SP00064



CE RoHS IP20



KL-SP00065



CE RoHS IP20



KL-SP00066

Color/Material:



Voltage	Frequency	Light Source	Wattage
220-240V	50Hz	E27	MAX 2×25W
220-240V	50Hz	E27	MAX 3×18W/CFL






KL-SP00067



KL-SP00068



KL-SP00069



Color/Material:



White
Gypsum
(Paintable)



Grey
Smooth
Cement

CE RoHS IP20    

Voltage	Frequency	Light Source	Wattage
220-240V	50Hz	GU10	



Ø 167

Ø 167

Ø 167

90

130

Ø 68

Ø 68

170

Ø 68

Color/Material:

White
Gypsum
(Paintable)

Grey
Smooth
Cement








KL-SP00070



KL-SP00071



KL-SP00072



Color/Material:



White
Gypsum
(Paintable)



Grey
Smooth
Cement

CE RoHS IP20    

Voltage	Frequency	Light Source	Wattage
220-240V	50Hz	GU10	MAX 35W







KL-SP00073




KL-SP00074



KL-SP00075




Voltage	Frequency	Light Source	Wattage
220-240V	50Hz	GU10	MAX 35W





Item No.	Voltage	Frequency	Light Source	Wattage
KL-SP00076	220-240V	50Hz	GU10	MAX 35W
	12V	50Hz	GU5.3	MAX 35W



123x123

- Honeycomb
- Softening Lens
- Liner Spread Lens
- Frosted


COLOR/MATERIAL



CE RoHS IP20



Item No.	Voltage	Frequency	Light Source	Wattage
KL-SP00077	220-240V	50Hz	GU10	MAX 35W
	12V	50Hz	GU5.3	MAX 35W



123x123

- Honeycomb
- Softening Lens
- Liner Spread Lens
- Frosted


COLOR/MATERIAL




CE RoHS IP20




Item No.	Voltage	Frequency	Light Source	Wattage
KL-SP00078	220-240V	50Hz	GU10	MAX 35W
	12V	50Hz	GU5.3	MAX 35W



Item No.	Voltage	Frequency	Light Source	Wattage
KL-SP00079	220-240V	50Hz	GU10	MAX 35W
	12V	50Hz	GU5.3	MAX 35W







KL-SP00080 1×5W (155×155×47mm)




KL-SP00081 3×5W (290×155×47mm)



KL-SP00082 5×5W (440×155×47mm)




KL-SP00083 1×5W (155×155×47mm)



KL-SP00084 3×5W (290×155×47mm)



KL-SP00085 5×5W (440×155×47mm)










KL-SP00086 4×5W (255×255×47mm)

LED/ 3000K/ CRI 80

CREE® PHILIPS

IP20

220-240V

Color/Material



White Gypsum (Paintable)



Grey Smooth Cement



Black Sandstone Cement



White Sandstone Cement

Reflector:




Black Silver Bronze Gold



Black Silver Bronze Gold





Body Color:




OPTIONS:

LED POWER SUPPLY 250mA-DC/DIM

KL-SP00087

- **Product Size:** $\varnothing 100 \times 90$
- **Body Color:** Black/White
- **Specification:** 14W(870lm)
3000K/4000K/5000K, CRI 80/90
- **LED:** **CREE[®] PHILIPS**
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Rotation:** 355°&90°
- **Beam Angle:** 15°/25°/38°/60°
- **Material:** Die-casting Aluminum

Body of luminaire is made of high quality die-casting aluminum, exquisite and fashion, with corrosion resistance surface treatment, can be white or black color etc. Offers a reflector with high reflectivity, can be different beam angles. Horizontal rotation 355°, vertical rotation 90°. Unique design with light ring effect.



Body Color:




OPTIONS:

LED POWER SUPPLY 250mA-DC/DIM



KL-SP00088


- Product Size:** $\varnothing 100 \times 103$
- Body Color:** Black/White
- Specification:** 14W(870lm)
3000K/4000K/5000K, CRI 80/90
- LED Chip:** **CREE[®] PHILIPS**
- IP Rating:** IP20
- Voltage:** 220-240V
- Rotation:** 355°&90°
- Beam Angle:** 15°/25°/38°/60°
- Material:** Die-casting Aluminum





KL-SP00089

- **Product Size:** $\varnothing 100 \times 103$
- **Body Color:** Black/White
- **Specification:** 14W(870lm)
- **LED Chip:** **CREE® PHILIPS**
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Rotation:** 355°&90°
- **Beam Angle:** 20°/40°/60°
- **Material:** Die-casting Aluminum



Color:




CE RoHS IP20    



KL-SP00090

- **Product Size:** 205 × 100 × 103
- **Body Color:** Black/White
- **Specification:** 2x14W(870lm) 3000K/4000K/5000K, CRI 80/90
- **LED Chip:** **CREE® PHILIPS**
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Rotation:** 355°&90°
- **Beam Angle:** 15°/25°/38°/60°
- **Material:** Die-casting Aluminum



Body Color:





CE RoHS IP20    



KL-SP00091

CE RoHS IP20    


Specification: 9.5W LED/ 3000K/4000K/5000K, CRI 80/90
LED Chip: CREE® PHILIPS
Voltage: 220-240V
Rotation: 355° & 90°
Beam Angle: 15°/24°/36°



KL-SP00092

CE RoHS IP20    



Specification: 9.5W LED/ 3000K/4000K/5000K, CRI 80/90
LED Chip: CREE® PHILIPS
Voltage: 220-240V
Rotation: 355° & 90°
Beam Angle: 15°/24°/36°



KL-SP00092D

CE RoHS IP20    


Specification: 9.5W LED/ 3000K/4000K/5000K, CRI 80/90
LED Chip: CREE® PHILIPS
Voltage: 220-240V
Rotation: 355° & 90°
Beam Angle: 15°/24°/36°



KL-SP00093

CE RoHS IP20    


Specification: 2x9.5W LED/ 3000K/4000K/5000K, CRI 80/90
LED Chip: CREE® PHILIPS
Voltage: 220-240V
Rotation: 355° & 90°
Beam Angle: 15°/24°/36°



KL-SP00093D

CE RoHS IP20    

Specification: 2x9.5W LED/ 3000K/4000K/5000K, CRI 80/90
LED Chip: CREE® PHILIPS
Voltage: 220-240V
Rotation: 355° & 90°
Beam Angle: 15°/24°/36°






KL-SP00094

CE RoHS IP20


Specification: 9.5W LED/ 3000K/4000K/5000K, CRI 80/90
LED Chip: CREE® PHILIPS
Voltage: 220-240V
Rotation: 355° & 90°
Beam Angle: 15°/24°/36°



KL-SP00095

CE RoHS IP20


Specification: 9.5W LED/ 3000K/4000K/5000K, CRI 80/90
LED Chip: CREE® PHILIPS
Voltage: 220-240V
Rotation: 355° & 90°
Beam Angle: 15°/24°/36°



KL-SP00095D

CE RoHS IP20


Specification: 9.5W LED/ 3000K/4000K/5000K, CRI 80/90
LED Chip: CREE® PHILIPS
Voltage: 220-240V
Rotation: 355° & 90°
Beam Angle: 15°/24°/36°



KL-SP00096

CE RoHS IP20


Specification: 2x9.5W LED/ 3000K/4000K/5000K, CRI 80/90
LED Chip: CREE® PHILIPS
Voltage: 220-240V
Rotation: 355° & 90°
Beam Angle: 15°/24°/36°



KL-SP00096D

CE RoHS IP20

Specification: 2x9.5W LED/ 3000K/4000K/5000K, CRI 80/90
LED Chip: CREE® PHILIPS
Voltage: 220-240V
Rotation: 355° & 90°
Beam Angle: 15°/24°/36°








KL-SP00097L-B



KL-SP00097G-B

KL-SP00097L

- **Product Size:** $\varnothing 82 \times 70$
- **Body Color:** Black/White
- **Specification:** 9W LED
3000K/4000K/5000K, CRI 80/90
- **LED:** **CREE® PHILIPS**
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Beam Angle:** 15°/25°/38°/60°
- **Material:** Die-casting Aluminum



$\varnothing 82$ 75

Body Color:



Unit: cd

— C0-C180 — C90-C270 — G0

OPTIONS:


LED POWER SUPPLY 250mA-DC/DIM

Body of luminaire is made of high quality die-casting aluminum, nice curved shape, exquisite and fashion, with corrosion resistance surface treatment, can be white or black color etc. Offers a reflector with high reflectivity, can be different beam angles.




KL-SP00098



- **Product Size:** $\varnothing 100 \times 100 \times 77$
- **Body Color:** Black/White
- **Panel Color:** Black/White
- **Specification:** 9W LED
3000K/4000K/5000K, CRI 80/90
- **LED:** **CREE® PHILIPS**
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Beam Angle:** 15°/25°/38°/60°
- **Material:** Die-casting Aluminum



Body Color: **Panel Color:**








KL-SP00099

- **Product Size:** $\varnothing 100 \times 100 \times 77$
- **Body Color:** Black/White
- **Panel Color:** Black/White
- **Specification:** 2x9W LED
3000K/4000K/5000K, CRI 80/90
- **LED:** CREE® PHILIPS
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Beam Angle:** 15°/25°/38°/60°
- **Material:** Die-casting Aluminum



Decorative rectangle panel is made of high quality aluminum, exquisite and fashion, with corrosion resistance surface treatment, can be white or black color. Decorative panel is installed with the spot light of MJ-1003 with any color as requested. Offers a reflector with high reflectivity, can be different beam angles.






KL-SP00100L-W



KL-SP00100G-W

KL-SP00100L

- **Product Size:** $\varnothing 82 \times 70$
- **Body Color:** Black/White
- **Specification:** 9W LED
3000K/4000K/5000K, CRI 80/90
- **LED:** CREE® PHILIPS
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Beam Angle:** 15°/25°/38°/60°
- **Material:** Die-casting Aluminum



Body Color:



Unit: cd

— C0-C180 — C90-C270 — G0

OPTIONS:


LED POWER SUPPLY 250mA-DC/DIM

Body of luminaire is made of high quality die-casting aluminum, exquisite and fashion, with corrosion resistance surface treatment, can be white or black color. Offers a reflector with high reflectivity, can be different beam angles.



KL-SP00101

- **Product Size:** 100×100×77
- **Panel Color:** Black/White
- **Specification:** 9W LED
3000K/4000K/5000K, CRI 80/90
- **LED:** CREE® PHILIPS
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Beam Angle:** 15°/25°/38°/60°
- **Material:** Die-casting Aluminum



Panel Color:



Unit: cd

— C0-C180 — C90-C270 — G0

OPTIONS:

LED POWER SUPPLY 250mA-DC/DIM

Decorative panel is made of high quality aluminum, exquisite and fashion, with corrosion resistance surface treatment, can be white or black color. Square decorative panel is installed with the spot light of MJ-1004 with any color as requested. Offers a reflector with high reflectivity, can be different beam angles.







Decorative rectangle panel is made of high quality aluminum, exquisite and fashion, with corrosion resistance surface treatment, can be white or black color. Decorative panel is installed with the spot light of MJ-1004 with any color as requested. Offers a reflector with high reflectivity, can be different beam angles.



KL-SP00102

- **Product Size:** 195 × 100
- **Body Color:** Black/White
- **Panel Color:** Black/White
- **Specification:** 2x9W LED
3000K/4000K/5000K, CRI 80/90
- **LED:** CREE® PHILIPS
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Beam Angle:** 15°/25°/38°/60°
- **Material:** Die-casting Aluminum








KL-SP00103

- **Product Size:** $\varnothing 110 \times 71$
- **Body Color:** Black/White
- **Specification:** 9W LED
3000K/4000K/5000K, CRI 80/90
- **LED:** CREE® PHILIPS
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Beam Angle:** 15°/25°/38°/60°
- **Material:** Die-casting Aluminum



100

Body Color:

— C0-C180 — C90-C270 — G0



OPTIONS:


LED POWER SUPPLY 250mA-DC/DIM

Body of luminaire is made of high quality aluminum, exquisite and fashion, with corrosion resistance surface treatment, can be white or black color. Offers a reflector with high reflectivity, can be different beam angles. Unique design with light ring effect.



KL-SP00104

- **Product Size:** $\varnothing 105 \times 74$
- **Body Color:** Black/White
- **Specification:** 9W LED
3000K/4000K/5000K, CRI 80/90
- **LED:** CREE® PHILIPS
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Beam Angle:** 15°/25°/38°/60°
- **Material:** Die-casting Aluminum



100

Body Color:

Unit: cd

— C0-C180 — C90-C270 — G0



OPTIONS:

LED POWER SUPPLY 250mA-DC/DIM

Body of luminaire is made of high quality aluminum, exquisite and fashion, with corrosion resistance surface treatment, can be white or black color. Offers a reflector with high reflectivity, can be different beam angles. Unique design with light ring effect.







KL-SP00105



KL-SP00106




KL-SP00107

Body Color:



- **Product Size:** 150×150×150
- **Body Color:** Black/White
- **Specification:** 9W LED
3000K/4000K/5000K, CRI 80/90
- **LED:** CREE® PHILIPS
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Beam Angle:** 15°/25°/38°/60°
- **Material:** Aluminum



Body of luminaire is made of high quality aluminum, exquisite and fashion, with corrosion resistance surface treatment, can be white or black color. Offers a reflector with high reflectivity, can be different beam angles.



KL-SP00108



KL-SP00109




KL-SP00110

Body Color:



- **Product Size:** 200×105×150
- **Body Color:** Black/White
- **Specification:** MJ-1024 21W(1670lm)
MJ-1025 21W(1804lm)
MJ-1026 21W(1844lm)
3000K/4000K/5000K, CRI 80/90
- **LED:** CREE® PHILIPS
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Beam Angle:** 15°/25°/38°/60°
- **Material:** Aluminum



Body of luminaire is made of high quality aluminum, exquisite and fashion, with corrosion resistance surface treatment, can be white or black color. Offers a reflector with high reflectivity, can be different beam angles.





KL-SP00111 KL-SP00111L

- **Product Size:** $\varnothing 100 \times 150 / \varnothing 100 \times 300$
- **Body Color:** Black/White
- **Specification:** 9W LED
3000K/4000K/5000K, CRI 80/90
- **LED:** **CREE® PHILIPS**
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Beam Angle:** 15°/25°/38°/60°
- **Material:** Aluminum

Spot Light: External Casin

Body Color:






Unit: cd

— C0-C180 — C90-C270 — G0

OPTIONS:

LED POWER SUPPLY 250mA-DC/DIM

Body of luminaire is made of high quality aluminum, nice and simple cylinder shape, with corrosion resistance surface treatment, can be white or black color. Offers a reflector with high reflectivity, can be different beam angles.



MJ-1028



KL-SP00112 KL-SP00112L

- **Product Size:** $\varnothing 100 \times 300 / \varnothing 100 \times 150$
- **Body Color:** Black/White
- **Specification:** 9W LED
3000K/4000K/5000K, CRI 80/90
- **LED:** **CREE® PHILIPS**
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Beam Angle:** 15°/25°/38°/60°
- **Material:** Aluminum

Body Color:




Body of luminaire is made of high quality aluminum, nice and simple cylinder shape, with corrosion resistance surface treatment, can be white or black color. Offers a reflector with high reflectivity, can be different beam angles.






KL-SP00113

- **Product Size:** $\varnothing 140 \times 69$
- **Body Color:** White
- **Specification:** 9W LED
3000K/4000K/5000K, CRI 80/90
CREE® PHILIPS
- **LED:**
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Beam Angle:** 15°/25°/38°/60°
- **Material:** Gypsum+Aluminum



KL-SP00114

- **Product Size:** $\varnothing 44 \times 47.5$
- **Body Color:** Black/White/Silver
- **Specification:** 2.5W(130lm) RGB
3000K/4000K/5000K, CRI 80
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Material:** Aluminum



Body Color



Light Color



CE RoHS IP20



KL-SP00115



KL-SP00117



KL-SP00117



KL-SP00136



KL-SP00135



KL-SP00137



KL-SP00138



KL-SP00130



KL-SP00129



KL-SP00128



KL-SP00134



KL-SP00133



KL-SP00132



KL-SP00116



KL-SP00118



KL-SP00119



KL-SP00120



KL-SP00126




KL-SP00125



KL-SP00127



KL-SP00131




KL-SP00123



KL-SP00121



KL-SP00124



KL-SP00122




KL-SP00139

- **Product Size:** 125×125×150
- **Reflector Color:** Black/White/Matt Gold/Blue
- **Specification:** 18.5W LED
3000K/4000K/5000K, CRI 80/90
- **LED:** CREE® PHILIPS CITIZEN
- **IP Rating:** IP20/IP44
- **Voltage:** 220-240V
- **Beam Angle:** 40°
- **Material:** Die-casting Aluminum


Reflector Color:



Recessed down light, for indoor use, body of luminaire made of die-casting aluminum. Offers a reflector with high reflectivity, and multiple color options. Light source with glass diffuser and 3D soft light effect. IP20, can also be IP44.



OPTIONS:
LED POWER SUPPLY 350-550mA-DC/DIM



OPTIONS:
LED POWER SUPPLY 350-550mA-DC/DIM




KL-SP00140

- **Product Size:** 120×120×150
- **Reflector Color:** Black/White/Matt Gold/Blue
- **Specification:** 18.5W LED
3000K/4000K/5000K, CRI 80/90
- **LED:** CREE® PHILIPS CITIZEN
- **IP Rating:** IP20/IP44
- **Voltage:** 220-240V
- **Beam Angle:** 40°
- **Material:** Die-casting Aluminum

Reflector Color:





Trimless recessed down light with separate pre-install frame, for indoor use, body of luminaire made of die-casting aluminum, offers a reflector with high reflectivity. Multiple color options are available for the reflector and can be easily replaced. LED Light source with glass diffuser and 3D soft light effect. IP20, can also be IP44.





KL-SP00141

- **Product Size:** $\varnothing 136 \times 150$
- **Reflector Color:** Black/White/Matt Gold/Blue
- **Specification:** 18.5W LED
3000K/4000K/5000K, CRI 80/90
- **LED:** CREE® PHILIPS CITIZEN
- **IP Rating:** IP20/IP44
- **Voltage:** 220-240V
- **Beam Angle:** 40°
- **Material:** Die-casting Aluminum





OPTIONS:
LED POWER SUPPLY 350-550mA-DC/DIM

Reflector Color



Recessed down light with high quality die-casting aluminum reflector. Multiple color options for the reflector are available and can be easily replaced. Light source with glass diffuser and 3D soft light effect. IP20, can also be IP44.



OPTIONS:
LED POWER SUPPLY 350-550mA-DC/DIM



Reflector Color






Recessed down light with high quality die-casting aluminum reflector. Multiple color options for the reflector are available and can be easily replaced. Light source with glass diffuser and 3D soft light effect. IP20, can also be IP44.



KL-SP00142

- **Product Size:** $\varnothing 123 \times 150$
- **Reflector Color:** Black/White/Matt Gold/Blue
- **Specification:** 18.5W LED
3000K/4000K/5000K, CRI 80/90
- **LED:** CREE® PHILIPS CITIZEN
- **IP Rating:** IP20/IP44
- **Voltage:** 220-240V
- **Beam Angle:** 40°
- **Material:** Die-casting Aluminum




OPTIONS:
LED POWER SUPPLY 350-550mA-DC/DIM

KL-SP00143


- **Product Size:** Ø110×210
- **Housing Color:** Black/White
- **Reflector Color:** Black/White/Matt Gold/Blue
- **Specification:** 18.5W LED
3000K/4000K/5000K, CRI 80/90
- **LED:** CREE® PHILIPS CITIZEN
- **IP Rating:** IP20/IP44
- **Voltage:** 220-240V
- **Beam Angle:** 40°
- **Material:** Aluminum



Surface mounted down light, for indoor use. Body of luminaire made of extruded aluminum, offers a reflector with high reflectivity, and multiple color options. Light source with glass diffuser and 3D soft light effect. IP20, can also be IP44.



240×240



E(lx/klm)	D(m)	h(m)
1	1048	0.63
2	262	1.25
3	116	1.88
4	65	2.51
5	42	3.31

OPTIONS:
LED POWER SUPPLY 350-550mA-DC/DIM


Reflector Color:




KL-SP00144

- **Product Size:** 235×235×190
- **Reflector Color:** Black/White/Matt Gold/Blue
- **Specification:** 18.5W LED
3000K/4000K/5000K, CRI 80/90
- **LED:** CREE® PHILIPS CITIZEN
- **IP Rating:** IP20/IP40
- **Voltage:** 220-240V
- **Beam Angle:** 40°
- **Material:** Gypsum & Die-casting Aluminum

Trimless recessed down light with high quality gypsum in nice curved shape, and die-casting aluminum reflector. Multiple color options for the reflector are available and can be easily replaced. Light source with glass diffuser and 3D soft light effect. IP20, can also be IP44.



180×180



E(lx/klm)	D(m)	h(m)
1	1048	0.63
2	262	1.25
3	116	1.88
4	65	2.51
5	42	3.31

OPTIONS:
LED POWER SUPPLY 350-550mA-DC/DIM

Reflector Color:



KL-SP00145

- **Product Size:** 175×175×150
- **Reflector Color:** Black/White/Matt Gold/Blue
- **Specification:** 18.5W LED
3000K/4000K/5000K, CRI 80/90
- **LED:** CREE® PHILIPS CITIZEN
- **IP Rating:** IP20/IP44
- **Voltage:** 220-240V
- **Beam Angle:** 40°
- **Material:** Gypsum & Die-casting Aluminum

Trimless recessed down light with high quality gypsum in nice curved shape, and die-casting aluminum reflector. Multiple color options for the reflector are available and can be easily replaced. Light source with glass diffuser and 3D soft light effect. IP20, can also be IP44.




ROUND DEEP DOWNLIGHT



KL-SP00146


- **Product Size:** $\varnothing 95 \times 70$
- **Trim Color:** Black/White
- **Reflector Color:** Black/White/Matt Gold/Silver
- **Specification:** 1x10W LED MR16/3000K/CRI 80/8001m
- **LED:** CREE®
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Beam Angle:** 20°/40°/60°
- **Material:** Die-casting Aluminum





KL-SP00147

- **Product Size:** $\varnothing 95 \times 52$
- **Trim Color:** Black/White
- **Reflector Color:** Black/White
- **Specification:** 1 \times 10W LED MR16/3000K/CRI 80/8001m
- **LED:** CREE[®]
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Beam Angle:** 20°/40°/60°
- **Material:** Die-casting Aluminum




SQUARE DEEP DOWNLIGHT



KL-SP00148

- **Product Size:** 90×90×61
- **Trim Color:** Black/White
- **Reflector Color:** Black/White/Matt Gold/Silver
- **Specification:** 1×10W LED MR16/3000K/CRI 80/800lm
- **LED:** CREE®
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Beam Angle:** 20°/40°/60°
- **Material:** Die-casting Aluminum

Reflector




82×82 CE RoHS IP20


ADJUSTABLE DEEP DOWNLIGHT



KL-SP00149

- **Product Size:** $\varnothing 102 \times 70$
- **Trim Color:** Black/White
- **Reflector Color:** Black/White/Matt Gold/Silver
- **Specification:** 1x10W LED MR16/3000K/CRI 80/800lm
- **LED Chip:** **CREE**[®]
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Beam Angle:** 20°/40°/60°
- **Rotation:** 0-30°/ 355°
- **Material:** Die-casting Aluminum





Color options for parts:




KL-SP00150

- **Product Size:** ∅ 136 × 73
- **Specification:** 11W LED/3000K/CR180/7051m
- **LED:** CREE® PHILIPS LUMILEDS
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Beam Angle:** 20°/40°/60°
- **Rotation:** 0-30°/355°
- **Material:** Die-casting Aluminum

CE RoHS IP20   

TONO ROUND WITH TRIM




Color options for parts:



KL-SP00151

- **Product Size:** 175×175×73
- **Specification:** 11W LED/3000K/CRI 80/7051m
- **LED:** CREE® PHILIPS LUMILEDS
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Beam Angle:** 20°/40°/60°
- **Rotation:** 0-30°/355°
- **Material:** Gypsum & Die-casting Aluminum



Color options for parts:





CE RoHS IP20    

KL-SP00152

- **Product Size:** 235×235×116
- **Specification:** 11W LED/3000K/CRI 80/7051m
- **LED:** CREE® PHILIPS
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Beam Angle:** 20°/40°/60°
- **Rotation:** 0-30°/355°
- **Material:** Gypsum & Die-casting Aluminum






KL-SP00153 (GU10 Version Optional)

- **Product Size:** $\varnothing 50 \times 140 \times 400 / \varnothing 50 \times 140 \times 700$
- **Stick Color:** Black/White
- **Reflector Color:** Black/White/Matt Gold/Silver
- **Specification:** 14W LED/ 3000K/ CRI 80/ 870lm
- **LED Chip:** **CREE® PHILIPS LUMILEDS**
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Rotation:** 85°/ 355°
- **Beam Angle:** 20°/40°



MAGIC STICK



KL-SP00154

- **Product Size:** $\varnothing 50 \times 275$
- **Specification:** 14W LED/3000K/CRI 80/870lm
- **LED:** CREE® PHILIPS LUMILEDS
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Beam Angle:** 20°/40°/60°
- **Rotation:** 0-85°/355°
- **Material:** Aluminum

Color options for parts:



CE RoHS IP20    



KL-SP00155 (GU10 Version Optional)

- **Product Size:** $\varnothing 95 \times 171$
- **Jacket Color:** Black/White/Matt Gold/Silver
- **Specification:** 11W LED
- **LED Chip:** CREE® PHILIPS
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Rotation:** 0-85° / 355°
- **Beam Angle:** 20°/40°/60°
- **Material:** Aluminum

Stick Color:



White Powder
Painting




Black Powder
Painting


Jacket:



RECESSED MAGIC STICK




Color options for parts:



KL-SP00156

- **Product Size:** $\varnothing 90 \times 295$
- **Specification:** 14W LED/3000K/CRI 80/870lm
- **LED:** CREE[®] PHILIPS LUMILEDS
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Beam Angle:** 20°/40°/60°
- **Rotation:** 0-85°/355°
- **Material:** Aluminum









KL-SP00157


- **Product Size:** $\varnothing 50 \times 140$
- **Specification:** 14W LED/ 3000K/ CRI80/ 870lm
- **LED Chip:** CREE® PHILIPS LUMILEDS
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Beam Angle:** 20°/ 40°/ 60°
- **Rotation:** 0-85°/ 355°
- **Material:** Gypsum & Aluminum




Stick:



Jacket:



Stick:




Jacket:



KL-SP00158

- **Product Size:** 233×123×140
- **Specification:** 2×14W LED/3000K/CRI 80/870lm
- **LED:** CREE® PHILIPS LUMILEDS
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Beam Angle:** 20°/40°/60°
- **Rotation:** 0-85°/355°
- **Material:** Gypsum & Aluminum






KL-SP00159

- **Product Size:** 272×58×225
- **Specification:** 14W LED/3000K/CRI 80/8701m
- **LED:** CREE® PHILIPS LUMILEDS
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Beam Angle:** 20°/40°/60°
- **Rotation:** 0-85°/355°
- **Material:** Gypsum & Aluminum

Stick:




Jacket:



KL-SP00160

- **Product Size:** 342×58×225
- **Specification:** 2×14W LED/3000K/CRI 80/8701m
- **LED:** CREE® PHILIPS LUMILEDS
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Beam Angle:** 20°/40°/60°
- **Rotation:** 0-85°/355°
- **Material:** Gypsum & Aluminum





KL-SP00161

KL-SP00162

KL-SP00161

- **Product Size:** Ø60×90×105
- **Body Color:** Black/White
- **Jacket Color:** Black/White/Matt Gold/Silver
- **Specification:** 10W LED/ 3000K/ CRI80-90
- **LED Chip:** CREE® PHILIPS
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Rotation:** 120°& 355°
- **Beam Angle:** 20°/40°/60°
- **Material:** Aluminum

Body Color:



Jacket:



KL-SP00162

- **Product Size:** Ø80×130×150
- **Body Color:** Black/White
- **Specification:** 20W/30W LED/ 3000K/ CRI80-90
- **LED Chip:** CREE® PHILIPS
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Rotation:** 120°& 355°
- **Beam Angle:** 12°/24°/36°
- **Material:** Aluminum


Body Color:





KL-SP00163

- **Product Size:** $\varnothing 60 \times 92 \times 150$
- **Body Color:** Black/White
- **Reflector Color:** Black/White/Matt Gold/Silver
- **Specification:** 10W LED/ 3000K/ CR180-90
- **LED Chip:** CREE® PHILIPS LUMILEDS
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Beam Angle:** 20°/40°/60°
- **Material:** Aluminum




KL-SP00164

- **Product Size:** $\varnothing 80 \times 115 \times 170$
- **Trim Color:** Black/White
- **Reflector Color:** Black/White/Matt Gold/Silver
- **Specification:** 10W LED/ 3000K/ CR180-90
- **Led Chip:** CREE® PHILIPS LUMILEDS
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Beam Angle:** 20°/40°/60°
- **Material:** Aluminum



KL-SP00165

- **Product Size:** $\varnothing 60 \times 92 \times 150$
- **Body Color:** Black/White
- **Specification:** 10W LED/ 3000K/ CR180/ 8701m
- **LED Chip:** CREE® PHILIPS LUMILEDS
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Rotation:** 120° & 355°
- **Beam Angle:** 12°/24°/36°
- **Material:** Aluminum



KL-SP00166

- **Product Size:** $\varnothing 80 \times 115 \times 170$
- **Body Color:** Black/White
- **Specification:** 15W LED/ 3000K/ CR180-90
- **LED Chip:** CREE® PHILIPS LUMILEDS
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Rotation:** 120° & 355°
- **Beam Angle:** 12°/24°/36°
- **Material:** Aluminum






SURFACE MOUNTED STICK T



KL-SP00167

- **Product Size:** 155×58×200
- **Specification:** 14W LED/3000K/CRI 80/8701m
- **LED:** CREE® PHILIPS LUMILEDS
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Beam Angle:** 20°/40°/60°
- **Rotation:** 0-85°/355°
- **Material:** Gypsum & Aluminum



Stick:




Jacket:



KL-SP00168

- **Product Size:** 300×58×200
- **Specification:** 2×14W LED/3000K/CRI 80/8701m
- **LED:** CREE® PHILIPS LUMILEDS
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Beam Angle:** 20°/40°/60°
- **Rotation:** 0-85°/355°
- **Material:** Gypsum & Aluminum



Stick:




Jacket:





KL-SP00169

- **Product Size:** $\varnothing 60 \times 92$
- **Body Color:** Black/White
- **Specification:** 10W LED/ 3000K/ CRI80-90
- **LED Chip:** CREE® PHILIPS
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Beam Angle:** 12°/24°/36°
- **Material:** Aluminum




Body Color:



KL-SP00170


- **Product Size:** $\varnothing 150 \times 80 \times 130$
- **Trim Color:** Black/White
- **Specification:** 25W LED/ 3000K/ CRI80-90
- **LED Chip:** CREE® PHILIPS
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Beam Angle:** 12°/24°/36°
- **Material:** Aluminum



Body Color:



<p>KL-SP00171</p>	<p>KL-SP00172</p>	
--------------------------	--------------------------	--




KL-SP00173




KL-SP00174



KL-SP00175




Gypsum fixture





KL-SP00176

- **Product Size:** $\phi 95 \times 171$
- **Housing Color:** Black/White
- **Jacket Color:** Black/White/Matt Gold/Silver
- **Specification:** 10W LED/ 3000K/ CRI80-90
- **LED Chip:** **CREE® PHILIPS**
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Rotation:** 0-45°/ 355°
- **Beam Angle:** 20°/40°/60°
- **Material:** Aluminum



Housing Color:




Jacket:



KL-SP00177

- **Product Size:** 120×120×170
- **Housing Color:** Black/White
- **Jacket Color:** Black/White/Matt Gold/Silver
- **Specification:** 10W LED/ 3000K/ CRI80/ 870lm
- **LED Chip:** **CREE® PHILIPS**
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Rotation:** 0-45°/ 355°
- **Beam Angle:** 20°/40°/60°
- **Material:** Gypsum & Aluminum



Housing Color:




Jacket:





KL-SP00178

- **Product Size:** 130×240×171
- **Housing Color:** Black/White
- **Jacket Color:** Black/White/Matt Gold/Silver
- **Specification:** 2×10W LED/ 3000K/ CRI90/ 1800lm
- **LED Chip:** CREE® PHILIPS
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Rotation:** 0-45°/ 355°
- **Beam Angle:** 20°/40°/60°
- **Material:** Gypsum & Aluminum



243×133

Housing Color:




Jacket:



KL-SP00179

- **Product Size:** Ø 170×170×143
- **Housing Color:** Black/White
- **Jacket Color:** Black/White/Matt Gold/Silver
- **Specification:** 10W LED/ 3000K/ CRI80-90
- **LED Chip:** CREE® PHILIPS
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Rotation:** 0-45°/ 355°
- **Beam Angle:** 20°/40°/60°
- **Material:** Gypsum & Aluminum




Housing Color:




Jacket:





KL-SP00180



- **Product Size:** 210×210×136
- **Housing Color:** Black/White
- **Jacket Color:** Black/White/Matt Gold/Silver
- **Specification:** 10W LED/ 3000K/ CRI80-90
- **LED Chip:** CREE® PHILIPS LUMILEDS
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Rotation:** 0-30°/ 355°
- **Beam Angle:** 20°/40°/60°
- **Material:** Gypsum & Aluminum



KL-SP00181

- **Product Size:** 320×210×136
- **Housing Color:** Black/White
- **Jacket Color:** Black/White/Matt Gold/Silver
- **Specification:** 2×10W LED/ 3000K/ CRI90/ 1800lm
- **LED Chip:** CREE® PHILIPS LUMILEDS
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Rotation:** 0-30°/ 355°
- **Beam Angle:** 20°/40°/60°
- **Material:** Aluminum





Housing Color:




Jacket:



KL-SP00182

- **Product Size:** 58×57×155
- **Housing Color:** Black/White
- **Jacket Color:** Black/White/Matt Gold/Silver
- **Specification:** 10W LED/ 3000K/ CRI80-90
- **LED Chip:** CREE® PHILIPS LUMILEDS
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Rotation:** 0-45°/ 355°
- **Beam Angle:** 20°/40°/60°
- **Material:** Aluminum



Housing Color:




Jacket:



KL-SP00183

- **Product Size:** 58×57×300
- **Housing Color:** Black/White
- **Jacket Color:** Black/White/Matt Gold/Silver
- **Specification:** 2×10W LED/ 3000K/ CRI90/ 1800lm
- **LED Chip:** CREE® PHILIPS LUMILEDS
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Rotation:** 0-45°/ 355°
- **Beam Angle:** 20°/40°/60°
- **Material:** Aluminum



Housing Color:




Jacket:



KL-SP00184

- **Product Size:** 57×58×196
- **Housing Color:** Black/White
- **Jacket Color:** Black/White/Matt Gold/Silver
- **Specification:** 10W LED/ 3000K/ CRI80-90/ 870lm
- **LED Chip:** CREE® PHILIPS LUMILEDS
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Rotation:** 0-45°/ 355°
- **Beam Angle:** 20°/40°/60°
- **Material:** Aluminum



Housing Color:




Jacket:



KL-SP00185

- **Product Size:** 57×58×341
- **Housing Color:** Black/White
- **Jacket Color:** Black/White/Matt Gold/Silver
- **Specification:** 2×10W LED/ 3000K/ CRI90/ 1800lm
- **Led Chip:** CREE® PHILIPS LUMILEDS
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Rotation:** 0-45°/ 355°
- **Beam Angle:** 20°/40°/60°
- **Material:** Aluminum





Housing Color:




Jacket:



CE RoHS IP20    

KL-SP00186 (GU10 Version Optional)

- **Product Size:** 62×150
- **Housing Color:** Black/White
- **Jacket Color:** Black/White/Matt Gold/Silver
- **Specification:** 14W LED/ 3000K/ CRI80/ 870lm
- **LED Chip:** CREE® PHILIPS LUMILEDS
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Rotation:** 0-90°/ 355°
- **Beam Angle:** 20°/40°/60°
- **Material:** Aluminum



Housing Color:



Jacket:



CE RoHS IP20    

KL-SP00187

- **Product Size:** Ø120×190
- **Housing Color:** Black/White
- **Jacket Color:** Black/White/Matt Gold/Silver
- **Specification:** 14W LED/ 3000K/ CRI80-90
- **LED Chip:** CREE® PHILIPS LUMILEDS
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Rotation:** 0-90°/ 355°
- **Beam Angle:** 20°/40°/60°
- **Material:** Aluminum



MAGIC STICK SLIM



Gypsum:






Aluminum:



KL-SP00188

-
-
- **Product Size:** 200×200×380
- **Specification:** 1×2W LED/3000K
- **LED:** CREE®
- **Stick Color:** Black/White
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Beam Angle:** 20°/40°/60°
- **Rotation:** 0-20°
- **Material:** Gypsum & Aluminum




CE RoHS IP20    



KL-SP00189

- **Product Size:** 155 × 155 × 230
- **Specification:** MR16/MAX 50W/3000K
- **Stick Color:** Black/White
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Beam Angle:** 20°/40°/60°
- **Rotation:** 0-20°
- **Material:** Gypsum & Aluminum




CE RoHS IP20    



KL-SP00190

- **Product Size:** 155 × 155 × 430
- **Specification:** MR16/MAX 50W/3000K
- **Stick Color:** Black/White
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Beam Angle:** 20°/40°/60°
- **Rotation:** 0-20°
- **Material:** Gypsum & Aluminum







KL-SP00191

LAMP DETAILS



Gu10 1x15W max
Optional:LED GU10


PRODUCT DETAILS

230V~50/60Hz
Material:aluminium

PRODUCT SIZE WEIGHT

0.14kg
H:49mm
D:90mm

- Body Color
-  Black
 -  White
 -  Gold
 -  Copper
- Reflector
-  Copper
 -  Black
 -  White
 -  Gold
 -  Silver



KL-SP00193

LAMP DETAILS










Gu10 1x15W max
Optional:LED GU10

PRODUCT DETAILS

230V~50/60Hz
Material:aluminium

PRODUCT SIZE WEIGHT

0.08kg
H:52mm
D:83mm

- Body Color
-  Black
 -  White
 -  Gold
 -  Copper
- Reflector
-  Copper
 -  Black
 -  White
 -  Gold
 -  Silver



KL-SP00192

LAMP DETAILS


Gu10 1x15W max
Optional:LED GU10










PRODUCT DETAILS

230V~50/60Hz
Material:aluminium

PRODUCT SIZE WEIGHT

0.14kg
L:90mm
W:90mm
H:68mm



- Body Color
-  Black
 -  White
 -  Gold
 -  Copper
- Reflector
-  Copper
 -  Black
 -  White
 -  Gold
 -  Silver

KL-SP00194

LAMP DETAILS


Gu10 1x15W max
Optional:LED GU10

PRODUCT DETAILS

230V~50/60Hz
Material:aluminium

PRODUCT SIZE WEIGHT

0.08kg
L:86mm
W:86mm
H:40mm



KL-SP00195

LAMP DETAILS


Gu10 1x15W max
Optional:LED GU10

PRODUCT DETAILS

230V~50/60Hz
Material:aluminium/steel

PRODUCT SIZE WEIGHT

0.12kg
H:54mm
D:90mm



Body Color

-  Black
-  White
-  Gold
-  Copper

Reflector

-  Copper
-  Black
-  White
-  Gold
-  Silver



KL-SP00196

LAMP DETAILS


Gu10 1x15W max
Optional:LED GU10

PRODUCT DETAILS

230V~50/60Hz
Total wattage:8.5W
Material:aluminium/steel

PRODUCT SIZE WEIGHT

0.14kg
L:90mm
W:90mm
H:55mm




Body Color

-  Black
-  White
-  Gold
-  Copper

Reflector

-  Copper
-  Black
-  White
-  Gold
-  Silver

KL-SP00197



LAMP DETAILS

Gu10 1x15W max
Optional:LED GU10

PRODUCT DETAILS

230V~50/60Hz
Material:aluminium/steel

PRODUCT SIZE WEIGHT

0.28kg
D:112mm

H:118mm
D:57mm

Body Color

-  Black
-  White
-  Gold
-  Copper

Reflector

-  Copper
-  Black
-  White
-  Gold
-  Silver



KL-SP00198

LAMP DETAILS


Gu10 1x15W max
Optional:LED GU10


PRODUCT DETAILS

230V~50/60Hz
Total wattage:8.5W
Material:aluminium/steel



PRODUCT SIZE WEIGHT

0.1kg
H: 69mm
D: 59mm



-  black
-  white
-  gold
-  copper















KL-SP00199

LAMP DETAILS
 LED:36V 250mA
 LED wattage:9.3W

PRODUCT DETAILS
 230V~50/60Hz
 Total wattage:11W
 Material:aluminium

PRODUCT SIZE WEIGHT
 0.22kg
 H:100mm
 D:69.2mm

- Body Color
-  Black
 -  White
 -  Gold
 -  Copper
- Reflector
-  Copper
 -  Black
 -  White
 -  Gold
 -  Silver




KL-SP00200

LAMP DETAILS
 LED:36V 500mA
 LED wattage:18W

PRODUCT DETAILS
 230V~50/60Hz
 Total wattage:21W
 Material:aluminium

PRODUCT SIZE WEIGHT
 0.34kg
 H:83.6mm
 D:115mm





-  black
-  white
-  gold
-  copper

KL-SP00201

LAMP DETAILS


Gu10 max 1x15W
Optional:LED GU10

PRODUCT DETAILS

230V~50/60Hz
Material:aluminium

PRODUCT SIZE WEIGHT

0.1kg
H:25mm
D:92.5mm



-  black
-  white
-  gold
-  copper

KL-SP00202

LAMP DETAILS


Gu10 max 1x15W
Optional:LED


PRODUCT DETAILS

230V~50/60Hz
Material:aluminium

PRODUCT SIZE WEIGHT

0.1kg
L:92.5mm
W:92.5mm
H:25mm





KL-SP00203

LAMP DETAILS

Gu10 max 1x15W
Optional:LED


PRODUCT DETAILS

230V~50/60Hz
Material:aluminium

PRODUCT SIZE WEIGHT

0.1kg
H:35mm
D:90mm

-  black
-  white
-  gold
-  copper



KL-SP00204

LAMP DETAILS



Gu10 max 1x15W
Optional:LED


PRODUCT DETAILS

230V~50/60Hz
Total wattage:8.5W
Material: aluminium/steel

PRODUCT SIZE WEIGHT

0.16kg
H:35mm
D:95mm

-  black
-  white
-  gold
-  copper



KL-SP00205

LAMP DETAILS

Gu10 max 1x15W
Optional:LED


PRODUCT DETAILS

230V~50/60Hz
Material: aluminium/glass

PRODUCT SIZE WEIGHT

0.14kg
H:50mm
D:90mm

- black
- white
- gold
- copper



KL-SP00206

LAMP DETAILS

Gu10 max 1x15W
Optional:LED

PRODUCT DETAILS


230V~50/60Hz
Material: aluminium/glass

PRODUCT SIZE WEIGHT

0.14kg
H:50mm
D:90mm

- black
- white
- gold
- copper





KL-SP00207

LAMP DETAILS

Gu10 max 1x15W
Optional:LED

PRODUCT DETAILS

230V~50/60Hz
Material: aluminium

PRODUCT SIZE WEIGHT


0.12kg
W:115mm
H:42mm
L:115mm

Body Color

-  black
-  white
-  gold
-  copper

Reflector

-  White
-  Black
-  Sliver
-  Gold
-  Gold



KL-SP00208

LAMP DETAILS

Gu10 max 1x15W
Optional:LED

PRODUCT DETAILS

230V~50/60Hz
Material: aluminium/steel

PRODUCT SIZE WEIGHT


0.09kg
H:42mm
D:113.5mm


Body Color

-  black
-  white
-  gold
-  copper

Reflector

-  White
-  Black
-  Sliver
-  Gold
-  Gold





KL-SP00209

LAMP DETAILS

Gu10 max 1x15W
Optional:LED


PRODUCT DETAILS

230V~50/60Hz
Material: aluminium

PRODUCT SIZE WEIGHT

0.1kg
L:77.5mm
W:77.5mm
H:42.5mm

-  black
-  white
-  gold
-  copper



KL-SP00210

LAMP DETAILS

2x35W max
Optional:LED

PRODUCT DETAILS

230V~50/60Hz
Material: aluminium/steel

PRODUCT SIZE WEIGHT

0.12kg
L:77.5mm
W:150.5mm
H:42.5mm

-  black
-  white
-  gold
-  copper



KL-SP00211

LAMP DETAILS


Gu10 1x13W max
Optional:LED GU10

PRODUCT DETAILS

220-240V~ 50/60Hz
Material: aluminium/steel

PRODUCT SIZE WEIGHT

0.12kg
H:35mm
D:100mm



KL-SP00212

LAMP DETAILS



Gu10 1x13W max
Optional:LED GU10

PRODUCT DETAILS

220-240V~ 50/60Hz
Material: aluminium/steel

PRODUCT SIZE WEIGHT

0.16kg
W:100mm
H:35mm
L:100mm



KL-SP00213

LAMP DETAILS


Gu10 2x13W max
Optional:LED GU10

PRODUCT DETAILS

220-240V~ 50/60Hz
Material:aluminium/steel

PRODUCT SIZE WEIGHT

0.24kg
W:100mm
H:35mm
L:183mm



KL-SP00214

LAMP DETAILS


Gu10 3x13W max
Optional:LED GU10

PRODUCT DETAILS

220-240V~ 50/60Hz
Material:aluminium/steel

PRODUCT SIZE WEIGHT

0.3kg
W:100mm
H:35mm
L:265mm





- Body Color
- Black
 - White
 - Gold
 - Copper
- Reflector
- Copper
 - Black
 - White
 - Gold
 - Silver



KL-SP00215

LAMP DETAILS


Gu10 1x13W max
Optional: LED GU10

PRODUCT DETAILS

220-240V~ 50/60Hz
Material: aluminium/steel

PRODUCT SIZE WEIGHT

0.18kg
H:151mm
D:57mm



- Body Color
- Black
 - White
 - Gold
 - Copper
- Reflector
- Copper
 - Black
 - White
 - Gold
 - Silver



KL-SP00216-400

LAMP DETAILS


Gu10 1x13W max
Optional: LED GU10

PRODUCT DETAILS

220-240V~ 50/60Hz
Material: aluminium/steel

PRODUCT SIZE WEIGHT

0.32kg
H:551mm
D:57mm



- Body Color
- Black
 - White
 - Gold
 - Copper
- Reflector
- Copper
 - Black
 - White
 - Gold
 - Silver



KL-SP00217-700

LAMP DETAILS


Gu10 1x13W max
Optional: LED GU10


PRODUCT DETAILS

220-240V~ 50/60Hz
Material: aluminium/steel

PRODUCT SIZE WEIGHT

0.38kg
H:851mm
D:57mm





KL-SP00218

LAMP DETAILS

2*LED:37V 200mA
LED wattage:14.8W


PRODUCT DETAILS

220-240V~ 50/60Hz
Total wattage:16W
Material:aluminium

PRODUCT SIZE WEIGHT

0.62kg
D:62.5mm
H:76mm
L:162mm

-  black
-  white
-  gold
-  copper



KL-SP00219

LAMP DETAILS









LED:39V 500mA
LED wattage:18.5W

PRODUCT DETAILS

220-240V~ 50/60Hz
Total wattage:21W
Material:aluminium

PRODUCT SIZE WEIGHT

0.44kg
H:85mm
D:95mm

- Body Color
-  Black
 -  White
 -  Gold
 -  Copper
- Reflector
-  Copper
 -  Black
 -  White
 -  Gold
 -  Silver



KL-SP00220

LAMP DETAILS




LED:36V 180mA
LED wattage:6.48W

PRODUCT DETAILS

220-240V~ 50/60Hz
Total wattage:7W
Material:aluminium/steel

PRODUCT SIZE WEIGHT

0.28kg
H:540mm
D:40mm

-  black
-  white
-  gold
-  copper





KL-SP00221-400

LAMP DETAILS


Gu10 1x15W max
Optional:LED GU10

PRODUCT DETAILS

230V~50/60Hz
Material:aluminium

PRODUCT SIZE WEIGHT

0.28kg
H:530mm
D:57mm



Body Color

-  Black
-  White
-  Gold
-  Copper

Reflector

-  Copper
-  Black
-  White
-  Gold
-  Silver

KL-SP00222-700

LAMP DETAILS


Gu10 1x15W max
Optional:LED GU10

PRODUCT DETAILS



230V~50/60Hz
Material:aluminium

PRODUCT SIZE WEIGHT

0.36kg
H:830mm
D:57mm



Body Color

-  Black
-  White
-  Gold
-  Copper

Reflector

-  Copper
-  Black
-  White
-  Gold
-  Silver



KL-SP00223

LAMP DETAILS


Gu10 1x15W max
Optional:LED GU10

PRODUCT DETAILS

230V~50/60Hz
Material:aluminium

PRODUCT SIZE WEIGHT

0.16kg
H:108mm
D:57mm

-  black
-  white
-  gold
-  copper



KL-SP00224

LAMP DETAILS




Gu10 1x15W max
Optional:LED GU10

PRODUCT DETAILS

230V~50/60Hz
Material:aluminium

PRODUCT SIZE WEIGHT

0.16kg
H:100mm
D:56mm

-  black
-  white
-  gold
-  copper



KL-SP00225

LAMP DETAILS


Gu10 1x35W max
Optional:LED

PRODUCT DETAILS

230V~ 50/60Hz
Material: aluminium

PRODUCT SIZE WEIGHT

0.24kg
H:85mm
D:80mm



KL-SP00226

LAMP DETAILS



Gu10 1x35W max
Optional:LED

PRODUCT DETAILS

230V~ 50/60Hz
Material: aluminium

PRODUCT SIZE WEIGHT

0.36kg
H:100mm
D:96mm



- black
- white
- gold
- copper

KL-SP00227

LAMP DETAILS


Gu10 1x35W max
Optional:LED

PRODUCT DETAILS

230V~ 50/60Hz
Material: aluminium

PRODUCT SIZE WEIGHT

0.52kg
L:97.5mm
W:97.5mm
H:125mm



KL-SP00228

LAMP DETAILS


Gu10 1x35W max
Optional:LED

PRODUCT DETAILS

230V~ 50/60Hz
Material: aluminium

PRODUCT SIZE WEIGHT

0.32kg
L:80mm
W:80mm
H:85mm



KL-SP00229

LAMP DETAILS


Gu10 1x15W max
Optional:LED GU10

PRODUCT DETAILS

230V~ 50/60Hz
Material: aluminium/PC

PRODUCT SIZE WEIGHT

0.41kg
H:120mm
D:95mm



-  black
-  white
-  gold
-  copper

KL-SP00230

LAMP DETAILS


Gu10 1x15W max
Optional:LED GU10

PRODUCT DETAILS

230V~ 50/60Hz
Material: aluminium

PRODUCT SIZE WEIGHT

0.49kg
L:96mm
W:96mm
H:120mm





KL-SP00231

LAMP DETAILS


Gu10 1x15W max
Optional:LED GU10

PRODUCT DETAILS

230V~ 50/60Hz
Material: aluminium

PRODUCT SIZE WEIGHT

0.4kg
H:140mm
D:95.5mm



Body Color

-  black
-  white
-  gold
-  copper

Reflector

-  White
-  Black
-  Silver
-  Gold
-  Gold



KL-SP00232

LAMP DETAILS


Gu10 1x15W max
Optional:LED GU10

PRODUCT DETAILS

230V~ 50/60Hz
Material: aluminium

PRODUCT SIZE WEIGHT

0.48kg
L:97mm
W:97mm
H:140mm





KL-SP00233

LAMP DETAILS

Gu10 1x35W max
Optional:LED GU10


LED:37V 250mA
LED wattage:9.25W

PRODUCT DETAILS

230V~ 50/60Hz
Material: aluminium

PRODUCT SIZE WEIGHT

0.6kg
H:100mm
D:100mm



- black
- white
- gold
- copper

KL-SP00234

LAMP DETAILS

Gu10 2x35W max
Optional:LED


2*LED:37V 250mA
LED wattage:18.5W

PRODUCT DETAILS

230V~ 50/60Hz
Material: aluminium

PRODUCT SIZE WEIGHT

0.48kg
L:97mm
W:97mm
H:140mm



- black
- white
- gold
- copper

KL-SP00235

LAMP DETAILS

Gu10 1x35W max
Optional:LED GU10


LED:37V 250mA
LED wattage:9.25W

PRODUCT DETAILS

230V~ 50/60Hz
Material: aluminium

PRODUCT SIZE WEIGHT

0.92kg
W:105mm
H:100mm
L:105mm



- black
- white
- gold
- copper



KL-SP00236

LAMP DETAILS


Gu10 3x13W max
Optional:LED GU10

PRODUCT DETAILS

230V~50/60Hz
Material:aluminium/steel

PRODUCT SIZE WEIGHT

1.58kg
W:40mm
H:875mm
L:720mm
D:57mm



- black
- white
- gold
- copper



- black
- white
- gold
- copper

KL-SP00237

LAMP DETAILS


Gu10 5x13W max
Optional:LED GU10

PRODUCT DETAILS

230V~50/60Hz
Material:aluminium/steel

PRODUCT SIZE WEIGHT

2.1kg
W:30mm
H:875mm
L:1200mm
D:57mm





- black
- white
- gold
- copper



KL-SP00238

LAMP DETAILS



Gu10 5x13W max
Optional:LED GU10

PRODUCT DETAILS

230V~50/60Hz
Material:aluminium/steel

PRODUCT SIZE WEIGHT

2.1kg
W:30mm
H:875mm
L:1200mm
D:57mm



KL-SP00239

LAMP DETAILS

Gu10 1x35W max
Optional:LED

PRODUCT DETAILS

220-240V~ 50/60Hz
Material:aluminium

PRODUCT SIZE WEIGHT

0.54kg
H:350mm
D:56.5mm



KL-SP00240

LAMP DETAILS

Gu10 3x13W max
Optional:LED GU10


PRODUCT DETAILS

230V~50/60Hz
Material:aluminium/steel

PRODUCT SIZE WEIGHT

1.62kg
W:30mm
H:900mm
L:725mm
D:57mm

-  black
-  white
-  gold
-  copper



KL-SP00241

LAMP DETAILS

Gu10 4x13W max
Optional:LED GU10


PRODUCT DETAILS


230V~50/60Hz
Material:aluminium/steel

PRODUCT SIZE WEIGHT

1.8kg
W:30mm
H:900mm
L:965mm
D: 57mm

-  black
-  white
-  gold
-  copper





- black
- white
- gold
- copper

KL-SP00242

LAMP DETAILS


Gu10 5x13W max
Optional:LED GU10

PRODUCT DETAILS

230V~50/60Hz
Material:aluminium/steel

PRODUCT SIZE WEIGHT

2.2kg
W:30mm
H:900mm
L:1205mm
D:57mm



- black
- white
- gold
- copper

KL-SP00243

LAMP DETAILS

Gu10 max 1x15W
Optional:LED

PRODUCT DETAILS

230V~50/60Hz
Material:aluminium

PRODUCT SIZE WEIGHT

0.56kg
L:105mm
W:105mm
H:100mm

KL-SP00244

LAMP DETAILS

Gu10 3x13W max
LED GU10

PRODUCT DETAILS

220-240V~ 50/60Hz
Material:aluminium/steel

PRODUCT SIZE WEIGHT



1.06kg
H:127mm
D:220mm

Body Color

- Black
- White
- Gold
- Copper

Reflector

- Copper
- Black
- White
- Gold



KL-SP00245

LAMP DETAILS

Gu10 2x13W max
Optional:LED GU10

PRODUCT DETAILS

220-240V~ 50/60Hz
Material:aluminium/steel

PRODUCT SIZE WEIGHT

0.75kg
L:350mm
W:60mm
H:127mm





KL-SP00246

LAMP DETAILS


Gu10 1x15W max
Optional:LED GU10

PRODUCT DETAILS




230V~50/60Hz
Material:aluminium/steel

PRODUCT SIZE WEIGHT

0.18kg
H:130mm
D:57mm




Body Color

-  Black
-  White
-  Gold
-  Copper

Reflector

-  Copper
-  Black
-  White
-  Gold

-  black
-  white
-  gold
-  copper



KL-SP00247

LAMP DETAILS

Gu10 1x15W max
Optional:LED GU10

PRODUCT DETAILS

230V~50/60Hz
Material:aluminium

PRODUCT SIZE WEIGHT

0.26kg
H:157mm
D:56mm





KL-SP00248

LAMP DETAILS


LED:36V 150mA
LED wattage:5.4W

PRODUCT DETAILS

20-240V~ 50/60Hz
Total wattage:6W
Material:aluminium

PRODUCT SIZE WEIGHT

0.26kg
H:160mm
D:40mm



-  black
-  white
-  gold
-  copper

KL-SP00249

LAMP DETAILS


LED:36V 300mA
LED wattage:11W








PRODUCT DETAILS

220-240V~ 50/60Hz
Total wattage:13W
Material:aluminium

PRODUCT SIZE WEIGHT

0.56kg
H:196mm
D:58mm



- Body Color**
-  Black
-  White
-  Gold
-  Copper
- Reflector**
-  Copper
-  Black
-  White
-  Gold

KL-SP00250

LAMP DETAILS


Gu10 1x13W max
LED GU10

PRODUCT DETAILS


220-240V~ 50/60Hz
Material:aluminium



PRODUCT SIZE WEIGHT

0.38kg
H:196mm
D:58mm



-  black
-  white
-  gold
-  copper





KL-SP00251

LAMP DETAILS

Gu10 1x13W max
Optional:LED GU10


PRODUCT DETAILS

220-240V~ 50/60Hz
Material:aluminium/steel

PRODUCT SIZE WEIGHT

0.24kg
H:127mm
D:100mm

Body Color

-  Black
-  White
-  Gold
-  Copper

Reflector

-  Copper
-  Black
-  White
-  Gold



KL-SP00252

LAMP DETAILS


Gu10 1x13W max
Optional:LED GU10

PRODUCT DETAILS

220-240V~ 50/60Hz
Material:aluminium/steel

PRODUCT SIZE WEIGHT

0.33kg
L:100mm
W:100mm
H:127mm





KL-SP00253

LAMP DETAILS


LED:36V 180mA
LED wattage:6.48W

PRODUCT DETAILS

220-240V~ 50/60Hz
Total wattage:7W
Material:aluminium/steel

PRODUCT SIZE WEIGHT

0.22kg
H:143mm
D:70mm



KL-SP00254

LAMP DETAILS


2*LED:36V 180mA
LED wattage:12.96W

PRODUCT DETAILS

220-240V~ 50/60Hz
Total wattage:14W
Material:aluminium/steel

PRODUCT SIZE WEIGHT

0.56kg
W:40mm
H:143mm
L:260mm
D:40mm



KL-SP00255

LAMP DETAILS


3*LED:36V 180mA
LED wattage:19.5W

PRODUCT DETAILS

220-240V~ 50/60Hz
Total wattage:21W
Material:aluminium/steel

PRODUCT SIZE WEIGHT

0.82kg
W:40mm
H:143mm
L:390mm
D:40mm



KL-SP00256

LAMP DETAILS


4*LED:36V 180mA
LED wattage:25.92W

PRODUCT DETAILS

220-240V~ 50/60Hz
Total wattage:28W
Material:aluminium/steel

PRODUCT SIZE WEIGHT

0.56kg
W:40mm
H:143mm
L:520mm
D:40mm



- black
- white
- gold
- copper



KL-SP00257

LAMP DETAILS


5*LED:36V 180mA
LED wattage:32.4W

PRODUCT DETAILS

220-240V~ 50/60Hz
Total wattage:35W
Material:aluminium/steel

PRODUCT SIZE WEIGHT

0.56kg
W:40mm
H:143mm
L:650mm
D:40mm



KL-SP00258

LAMP DETAILS


3*LED:36V 180mA
LED wattage:19.44W


PRODUCT DETAILS

220-240V~ 50/60Hz
Total wattage:21W
Material:aluminium/steel

PRODUCT SIZE WEIGHT

0.66kg
D:120mm
H:143mm
D:40mm





Body Color

-  Black
-  White
-  Gold
-  Copper

Reflector

-  Copper
-  Black
-  White
-  Gold

KL-SP00259

LAMP DETAILS

LED:37V 500mA
LED wattage:18.5W

PRODUCT DETAILS

220-240V~ 50/60Hz
Total wattage:20W
Material:aluminium

PRODUCT SIZE WEIGHT

0.48kg
H:75mm
D:95mm







KL-SP00260

LAMP DETAILS

Gu10 1x15W max
Optional:LED GU10

PRODUCT DETAILS

230V~50/60Hz
Material:aluminium

PRODUCT SIZE WEIGHT

0.28kg
H:551mm
D:57mm

KL-SP00261

LAMP DETAILS

Gu10 1x15W max
Optional:LED GU10

PRODUCT DETAILS

230V~50/60Hz
Material:aluminium


PRODUCT SIZE WEIGHT

0.34kg
H:851mm
D:57mm

Body Color

-  Black
-  White
-  Gold
-  Copper

Reflector

-  Copper
-  Black
-  White
-  Gold



KL-SP00262

LAMP DETAILS

Gu10 1x15W max
Optional:LED GU10

PRODUCT DETAILS

230V~50/60Hz
Total wattage:11W
Material:aluminium/PA

PRODUCT SIZE WEIGHT

0.2kg
H:152mm
D:57mm

KL-SP00263

LAMP DETAILS

LED:36V 500mA
LED wattage:18W

PRODUCT DETAILS

230V~50/60Hz
Total wattage:21W
Material:aluminium

PRODUCT SIZE WEIGHT

0.2kg
H:162mm
D:56mm

-  black
-  white
-  gold
-  copper



KL-SP00264

LAMP DETAILS


LED:37V 500mA
LED wattage:18.5W

PRODUCT DETAILS



230V~50/60Hz
Total wattage:21W
Material:aluminium

PRODUCT SIZE WEIGHT

0.37kg
H:100mm
D:95mm



Body Color

-  Black
-  White
-  Gold
-  Copper

Reflector

-  Copper
-  Black
-  White
-  Gold

KL-SP00265

LAMP DETAILS


LED:37V 500mA
LED wattage:18.5W

PRODUCT DETAILS

230V~50/60Hz
Total wattage:21W
Material:aluminium

PRODUCT SIZE WEIGHT

0.42kg
L:96mm
W:96mm
H:100mm





KL-SP00266

LAMP DETAILS


LED:37V 350mA
LED wattage:13W

PRODUCT DETAILS

230V~50/60Hz
Total wattage:15W
Material:aluminium

PRODUCT SIZE WEIGHT

0.32kg
H:205mm
D:60mm



- black
- white
- gold
- copper

KL-SP00267

LAMP DETAILS


LED:36V 700mA
LED wattage:26W

PRODUCT DETAILS

220-240V~ 50/60Hz
Total wattage:30W
Material:aluminium

PRODUCT SIZE WEIGHT

0.76kg
H:200mm
D:85mm





KL-SP00268

- black
- white
- gold
- copper

LAMP DETAILS



LED:37V 300mA
LED wattage:11.5W

PRODUCT DETAILS

230V~50/60Hz
Total wattage:14W
Material:aluminium

PRODUCT SIZE WEIGHT

0.54kg
H:118mm
D:100mm



KL-SP00271

- black
- white
- gold
- copper

LAMP DETAILS


LED:36V 200mA
LED wattage:7.5W

PRODUCT DETAILS

230V~50/60Hz
Total wattage:8.5W
Material:aluminium/steel

PRODUCT SIZE WEIGHT

0.24kg
H:154mm
D:40mm





KL-SP00269

LAMP DETAILS


LED:36V 250mA
LED wattage:9W

PRODUCT DETAILS

230V~50/60Hz
Total wattage:10.5W
Material:aluminium

PRODUCT SIZE WEIGHT

0.3kg
H:170mm
D:40mm



KL-SP00270

LAMP DETAILS


LED:36V 350mA
LED wattage:13W

PRODUCT DETAILS

230V~50/60Hz
Total wattage:15W
Material:aluminium

PRODUCT SIZE WEIGHT

0.4kg
H:180mm
D:60mm



KL-SP00272

LAMP DETAILS


LED:36V 700mA
LED wattage:26W

PRODUCT DETAILS

230V~50/60Hz
Total wattage:30W
Material:aluminium

PRODUCT SIZE WEIGHT

0.52kg
H:230mm
D:60mm



KL-SP00273

LAMP DETAILS


LED:36V 900mA
LED wattage:33.5W

PRODUCT DETAILS

230V~50/60Hz
Total wattage:40W
Material:aluminium/steel

PRODUCT SIZE WEIGHT

0.94kg
H:242mm
D:85mm





KL-SP00274

LAMP DETAILS


LED:37V 500mA
LED wattage:18.5W

PRODUCT DETAILS

220-240V~ 50/60Hz
Total wattage:21W
Material:aluminium

PRODUCT SIZE WEIGHT

0.6kg
H:170mm
D:60mm



- black
- white
- gold
- copper



KL-SP00275

LAMP DETAILS


LED:37V 900mA
LED wattage:33.3W

PRODUCT DETAILS

220-240V~ 50/60Hz
Total wattage:38W
Material:aluminium

PRODUCT SIZE WEIGHT

0.94kg
H:180mm
D:85mm






KL-SP00276

LAMP DETAILS

Gu10 1x35W max
Optional:GU10

PRODUCT DETAILS

220-240V~ 50/60Hz
Material:aluminium/steel



PRODUCT SIZE WEIGHT

0,22kg
H:128mm
D:56mm




KL-SP00277

LAMP DETAILS

Gu10 1x35W max
Optional:GU10

PRODUCT DETAILS

220-240V~ 50/60Hz
Material:aluminium/steel



PRODUCT SIZE WEIGHT

0,24kg
H:130mm
D:54.5mm



KL-SP00278

LAMP DETAILS

LED:36V 150mA
LED wattage:5.5W


PRODUCT DETAILS

220-240V~ 50/60Hz
Total wattage:6.5W
Material:aluminium

PRODUCT SIZE WEIGHT

0.3kg
H:160mm
D:40mm

-  black
-  white
-  gold
-  copper



KL-SP00279

LAMP DETAILS


LED:36V 300mA
LED wattage:11W

PRODUCT DETAILS

220-240V~ 50/60Hz
Total wattage:13W
Material:aluminium

PRODUCT SIZE WEIGHT

0.6kg
H:196mm
D:58mm



KL-SP00280

LAMP DETAILS

Gu10 1x13W max
LED GU10


PRODUCT DETAILS

220-240V~ 50/60Hz
Material:aluminium/steel

PRODUCT SIZE WEIGHT

0.4kg
H:196mm
D:58mm

- Body Color
 -  Black
 -  White
 -  Gold
 -  Copper
- Reflector
 -  Copper
 -  Black
 -  White
 -  Gold





KL-SP00281

LAMP DETAILS

Gu10 9x13W max
Optional:LED GU10


PRODUCT DETAILS

230V~50/60Hz
Material:aluminium/steel

PRODUCT SIZE WEIGHT

4.0kg
D:1125mm
H:2000mm
D:57mm

- black
- white
- gold
- copper



KL-SP00282

LAMP DETAILS


Gu10 max 1x35W
Optional:LED

PRODUCT DETAILS

230V~50/60Hz
Material:aluminium

PRODUCT SIZE WEIGHT

0.58kg
H:1562mm
D:56mm





KL-SP00283

LAMP DETAILS


Gu10 max 2x35W
Optional:LED

PRODUCT DETAILS

230V~50/60Hz
Material:aluminium

PRODUCT SIZE WEIGHT

0.26kg
L:180mm
W:81mm
H:56mm



Body Color

- Black
- White
- Gold
- Copper

Reflector

- Copper
- Black
- White
- Gold

KL-SP00284

LAMP DETAILS


Gu10 1x15W max
Optional:LED GU10

PRODUCT DETAILS

230V~50/60Hz
Material:aluminium

PRODUCT SIZE WEIGHT

0.26kg
H:130mm
D:57mm





KEYLIGHT
SPAIN
LIGHTING PRODUCTS

KEYLIGHT BY LUCREATIVE

TEL: +34 677 65 56 22

EMAIL: INFO@KEYLIGHTSPAIN.EU