



**KEYLIGHT**  
**SPAIN**  
LIGHTING PRODUCTS



WALL LIGHTS





# ABOUT US

**Keylight Spain** is a leading specialist in lighting products from Valencia, Spain.





We use the latest **LED technology** to create a unique range of lighting solutions.

Known by the high quality of our materials and innovative approaches when it comes to lighting, we offer a comprehensive selection of products, including LED lights, luminaires, drivers, control systems, accessories and more.

Our creative scope allows us to tackle even the most complex lighting projects, while our extensive experience and customer service ensure your lighting needs are met with the utmost satisfaction.

Therefore, our mission is to meet and satisfy the needs of our clients, with tailored products and services including collaborative marketing campaigns and market-specific product design to support our partners worldwide.

# WALL LIGHTS





### KL-WL00001 /KL-WL00001G

- **Product Size:** 160×93×80mm
- **External Color:** Black
- **Internal Color:** Gold/Silver
- **Specification:** MJ-1095G G9 (Bulb excluded)  
MJ-1095 10W LED, 2700K/3000K/4000K, CRI80/CRI90

- **Led Brand:** CREE® PHILIPS bridgelux
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Life Hours:** 50000 hours

Internal Color



### KL-WL00002


- **Product Size:** 200×117×250mm
- **External Color:** Black
- **Internal Color:** Gold/Silver
- **Specification:** 10W LED, 2700K/3000K/4000K, CRI80/CRI90

- **Led Brand:** CREE® PHILIPS bridgelux
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Life Hours:** 50000 hours

### KL-WL00003

- **Product Size:** 160×80×93mm
- **External Color:** Black
- **Internal Color:** Gold/Silver
- **Specification:** 10.5W LED, 2700K/3000K/4000K, CRI80/CRI90


- **Led Brand:** CREE® PHILIPS bridgelux
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Life Hours:** 50000 hours



### KL-WL00004/ KL-WL00004G

- **Product Size:** 160×85×117mm
- **External Color:** Black
- **Internal Color:** Gold/Silver
- **Specification:** MJ-1105G G9 (Bulb excluded)  
MJ-1105 10.5W LED, 2700K/3000K/4000K, CRI80/CRI90


- **Led Brand:** CREE® PHILIPS bridgelux
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Life Hours:** 50000 hours



**KL-WL00005**


- **Product Size:** 340×99×105mm
- **External Color:** Black
- **Internal Color:** Gold/Silver
- **Specification:** 6W LED, 2700K/3000K/4000K, CRI80/CRI90
- **Led Brand:** CREE® PHILIPS bridelux
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Life Hours:** 50000 hours

**Internal Color**




**KL-WL00006**

- **Product Size:** Ø100×100×130×250mm
- **External Color:** Black
- **Internal Color:** Gold/Silver
- **Specification:** 10.8W LED, 2700K/3000K/4000K, CRI80/CRI90
- **Led Brand:** CREE® PHILIPS bridelux
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Life Hours:** 50000 hours



**Internal Color**






### KL-WL00007

- **Product Size:** 120×92×220mm
- **External Color:** Black
- **Internal Color:** Gold/Silver
- **Specification:** 10.8W LED, 2700K/3000K/4000K, CRI80/CRI90
- **Led Brand:** CREE® PHILIPS bridgelux
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Life Hours:** 50000 hours

### KL-WL00008



INTERNAL COLOR





Gold

Silver


- **Product Size:** 120×92×220mm
- **External Color:** Black
- **Internal Color:** Gold/Silver
- **Specification:** 10.8W LED, 2700K/3000K/4000K, CRI80/CRI90
- **Led Brand:** CREE® PHILIPS bridgelux
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Life Hours:** 50000 hours



**KL-WL00009**



**KL-WL00010**



Voltage	Frequency	Light Source	Wattage
220-240V	50Hz	G9	MAX 40W

Voltage	Frequency	Light Source	Wattage
220-240V	50Hz	G9	MAX 40W


INTERNAL COLOR







**KL-WL00011/ KL-WL00011G**

- **Product Size:** 175×75×97mm
- **External Color:** Black
- **Internal Color:** Gold/Silver
- **Specification:** MJ-1136G G9 (Bulb excluded)  
MJ-1136 10. 5W LED, 2700K/3000K/  
4000K, CRI80/CRI90
- **Led Brand:** CREE® PHILIPS bridgelux
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Life Hours:** 50000 hours




**KL-WL00012**

- **Product Size:** 160×85×85mm
- **External Color:** Black
- **Internal Color:** Gold/Silver
- **Specification:** 10. 5W LED, 2700K/3000K/  
4000K, CRI80/CRI90
- **Led Brand:** CREE® PHILIPS bridgelux
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Life Hours:** 50000 hours



**KL-WL00013**

- **Product Size:** 160×80×93mm
- **External Color:** Black
- **Internal Color:** Gold/Silver
- **Specification:** 10. 5W LED, 2700K/3000K/  
4000K, CRI80/CRI90
- **Led Brand:** CREE® PHILIPS bridgelux
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Life Hours:** 50000 hours




**KL-WL00014**

- **Product Size:** 100×100×80mm
- **External Color:** Black/White
- **Specification:** 6. 3W LED, 2700K/3000K/  
4000K, CRI80/CRI90
- **Led Brand:** CREE® PHILIPS bridgelux
- **IP Rating:** IP20
- **Voltage:** 220-240V
- **Life Hours:** 50000 hours








145x173 mm

Item No.	Voltage	Constant Output Current	Light Source	Wattage
KL-WL00015	DC 3.2V	350mA	CREE LED	MAX 1x1W


# TRIMLESS WALL LAMPS



Item No.	Voltage	Constant Output Current	Light Source	Wattage
KL-WL00016	DC 3.2V	350mA	CREE LED	MAX 1x1W




145x173 mm




183x253 mm

Item No.	Voltage	Constant Output Current	Light Source	Wattage
KL-WL00017	DC 3.2V	350mA	CREE LED	MAX 1x1W



Item No.	Voltage	Constant Output Current	Light Source	Wattage
KL-WL00018	DC 3.2V	350mA	CREE LED	MAX 1x1W




Item No.	Voltage	Frequency	Light Source	Wattage
KL-WL00019	220-240V	50Hz	MR11	MAX 35W




Item No.	Voltage	Frequency
KL-WL00020	220-240V	50Hz


  

Light Source	Wattage
MR11	MAX 35W




83x168 mm







Item No.	Voltage	Constant Output Current	Light Source	Wattage
<b>KL-WL00021</b>	DC 3.2V	350mA	CREE LED	MAX 1×1W



Constant Output Current	Light Source	Wattage
350mA	CREE LED	MAX 1×1W

Item No.	Voltage
<b>KL-WL00022</b>	DC 3.2V




Item No.	Voltage	Constant Output Current
<b>KL-WL00023</b>	DC 3.2V	350mA


Light Source	Wattage
CREE LED	MAX 1×1W

PRODUCTS CATALOGUE | **WALL LIGHTS**


Item No.	Voltage	Constant Output Current	Light Source	Wattage
<b>KL-WL00024</b>	DC 3.2V	350mA	CREE LED	MAX 1x1W





168x83 mm



Item No.	Voltage	Constant Output Current	Light Source	Wattage
<b>KL-WL00025</b>	DC 3.2V	350mA	CREE LED	MAX 1x1W



Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00026</b>	220-240V	50Hz	GU10	MAX 35W




353x103mm






**SEAMLESS  
DESIGNS**




503x203mm


Item No.	Voltage	Frequency	Light Source	Wattage
KL-WL00027	220-240V	50Hz	GU10	MAX 35W




Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00028</b>	220-240V	50Hz	E14	MAX 40W





Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00029</b>	220-240V	50Hz	E14	MAX 40W




403x403mm





353x293mm





253x213mm

Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00030</b>	220-240V	50Hz	GU10	MAX 35W
<b>KL-WL00031</b>	220-240V	50Hz	GU10	MAX 35W



Item No.	Voltage	Frequency
<b>KL-WL00032</b>	220-240V	50Hz
Light Source	Wattage	
G9	MAX 40W	







# SOFT PROFILE




**KL-WL00033EL**



**KL-WL00033**



**KL-WL00033ER**






**KL-WL00034R**



**KL-WL00034L**





**KL-WL00034Z**




Item No.	Voltage	Light Source	LED Strip Model	Wattage
<b>KL-WL00033</b>	DC 12V	LED Strip	SMD 5050 (excl.)	MAX 12W/1M

**SOFT**  
**PROFILE**



Item No.	Voltage	Light Source
<b>KL-WL00035</b>	DC 12V	LED Strip

LED Strip Model	Wattage
SMD 5050 (excl.)	MAX 12W/1M





Item No.	Voltage	Light Source
<b>KL-WL00036</b>	DC 12V	LED Strip
LED Strip Model	Wattage	
SMD 5050 (excl.)	MAX 12W/1M	




# SOFT PROFILE

# FACE MOUNTED

Item No.	Voltage	Frequency	Light Source
<b>KL-WL00037</b>	220-240V	50Hz	SMD 2835



Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00038</b>	220-240V	50Hz	SMD 2835	7W





Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00039</b>	220-240V	50Hz	SMD 2835	7W




# WALL LAMPS


Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00040</b>	220-240V	50Hz	SMD 3030	7.2W




Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00041</b>	220-240V	50Hz	COB 1304	6.3W




Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00042</b>	220-240V	50Hz	COB 1304	6.3W




Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00043</b>	220-240V	50Hz	G9	MAX 40W




Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00044</b>	220-240V	50Hz	G9	MAX 40W




Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00045</b>	220-240V	50Hz	COB 1304	6.3W



Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00046</b>	220-240V	50Hz	G9	MAX 40W




Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00047</b>	220-240V	50Hz	GU10	MAX 35W




Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00048</b>	220-240V	50Hz	SMD 5050	10.5W

COLOR/MATERIAL







Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00049</b>	220-240V	50Hz	E14	MAX 40W




Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00050</b>	220-240V	50Hz	G9	MAX 40W




Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00051</b>	220-240V	50Hz	2xG9	MAX 40W




Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00052</b>	220-240V	50Hz	XTE	3W




Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00053</b>	220-240V	50Hz	XTE	3W




Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00054</b>	220-240V	50Hz	E27	MAX 40W



Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00055</b>	220-240V	50Hz	E14	MAX 40W





Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00056</b>	220-240V	50Hz	G9	MAX 40W



Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00057</b>	220-240V	50Hz	E14	MAX 40W



Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00058</b>	220-240V	50Hz	2xG9	MAX 40W




MW-8452




MW-8453


Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00059</b>	220-240V	50Hz	GU10	MAX 35W
<b>KL-WL00060</b>	220-240V	50Hz	2xGU10	MAX 35W




Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00061</b>	220-240V	50Hz	R7S	MAX 100W



Item No.	Voltage	Frequency
<b>KL-WL00062</b>	220-240V	50Hz
Light Source		Wattage
E14		MAX 40W



Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00063</b>	220-240V	50Hz	CREE LED	MAX 2x3W
<b>KL-WL00064</b>	220-240V	50Hz	G9	MAX 40W





Item No.	Voltage	Frequency
<b>KL-WL00065</b>	220-240V	50Hz
Light Source		Wattage
E14		MAX 40W














Item No.	Voltage	Frequency
<b>KL-WL00066</b>	220-240V	50Hz
Light Source	Wattage	
E14	MAX 2x40W	




Item No.	Voltage	Frequency
<b>KL-WL00067</b>	220-240V	50Hz
Light Source	Wattage	
E14	MAX 40W	



Item No.	Voltage	Frequency	Light Source
<b>KL-WL00068</b>	220-240V	50Hz	R7S



PRODUCTS CATALOGUE | **WALL LIGHTS**



Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00069</b>	220-240V	50Hz	GU10	MAX 2×35W




Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00070</b>	220-240V	50Hz	GU10	MAX 2×35W





Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00071</b>	220-240V	50Hz	GU10	MAX 2×35W









Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00072</b>	220-240V	50Hz	E14	MAX 40W



Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00073</b>	220-240V	50Hz	E14	MAX 40W




Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00074</b>	220-240V	50Hz	E14	MAX 40W



**Color/Material:**




Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00075</b>	220-240V	50Hz	CREE XP-D	MAX 2x2W
	220-240V	50Hz	G9	MAX 40W



Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00076</b>	220-240V	50Hz	G9	MAX 40W







Color/Material:




Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00077</b>	220-240V	50Hz	E14	MAX 40W




Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00078</b>	220-240V	50Hz	E14	MAX 40W






Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00079</b>	220-240V	50Hz	CREE LED	MAX 2×3W
	220-240V	50Hz	G9	MAX 40W





Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00080</b>	220-240V	50Hz	COB	MAX 1×5W



Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00081</b>	220-240V	50Hz	E14	MAX 40W







Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00082L</b>	220-240V	50Hz	CREE LED	MAX 2×3W
<b>KL-WL00082G</b>	220-240V	50Hz	G9	MAX 40W



White Gypsum (Paintable)





Grey Smooth Cement





Black Sandstone Cement



White Sandstone Cement




Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00083L</b>	220-240V	50Hz	CREE LED	MAX 2×3W
<b>KL-WL00083G</b>	220-240V	50Hz	G9	MAX 40W




Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00084L</b>	220-240V	50Hz	CREE LED	MAX 2×3W
<b>KL-WL00084G</b>	220-240V	50Hz	G9	MAX 40W

PRODUCTS CATALOGUE | **WALL LIGHTS**



Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00085</b>	220-240V	50Hz	SMD 5050	MAX 2.85W
<b>KL-WL00086</b>	220-240V	50Hz	SMD 5050	MAX 5.4W



**KL-WL00085**





**KL-WL00086**




**KL-WL00087**





**KL-WL00087A**




Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00087/ KL-WL00087A</b>	220-240V	50Hz	CREE XB-D	MAX 2x2W
	220-240V	50Hz	G9	MAX 40W












Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00088</b>	220-240V	50Hz	SMD 5050	MAX 9W
<b>KL-WL00089</b>	220-240V	50Hz	SMD 5050	MAX 13W



**KL-WL00089**





**KL-WL00088**




-  White Gypsum (Pointable)
-  Grey Smooth Cement
-  Black Sandstone Cement
-  White Sandstone Cement

Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00090</b>	220-240V	50Hz	SMD 5050	MAX 11W

PRODUCTS CATALOGUE | **WALL LIGHTS**



Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00091</b>	220-240V	50Hz	G9	MAX 40W
<b>KL-WL00092</b>	220-240V	50Hz	COB	MAX 1×5W
<b>KL-WL00093</b>	220-240V	50Hz	G9	MAX 40W





**KL-WL00091/ KL-WL00092**



**KL-WL00093**





**KL-WL00094**






Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00094</b>	220-240V	50Hz	G9	MAX 40W



PRODUCTS CATALOGUE | **WALL LIGHTS**





Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00095L</b>	220-240V	50Hz	CREE LED	MAX 2×3W
<b>KL-WL00095G</b>	220-240V	50Hz	G9	MAX 25W
<b>KL-WL00096L</b>	220-240V	50Hz	CREE LED	MAX 2×3W
<b>KL-WL00096G</b>	220-240V	50Hz	G9	MAX 25W





Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00097</b>	220-240V	50Hz	LED COB	MAX 1×5W
<b>KL-WL00098</b>	220-240V	50Hz	LED COB	MAX 1×5W










Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00099</b>	220-240V	50Hz	G9	MAX 40W
<b>KL-WL00100</b>	220-240V	50Hz	E14	MAX 40W



Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00101</b>	220-240V	50Hz	E14	MAX 40W
<b>KL-WL00102</b>	220-240V	50Hz	E14	MAX 2x40W



**KL-WL00103**




**KL-WL00104**


Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00103</b>	220-240V	50Hz	G9	MAX 40W
<b>KL-WL00104</b>	220-240V	50Hz	G9	MAX 2x40W
	220-240V	50Hz	E14	MAX 40W
	220-240V	50Hz	CREE XP-D	MAX 10W









Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00105</b>	220-240V	50Hz	G9	MAX 40W



Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00106</b>	220-240V	50Hz	COB 1304	6.3W




Item No.	Voltage	Frequency	Light Source	Wattage
<b>KL-WL00107</b>	220-240V	50Hz	COB 1304	6.3W




Item No.	Voltage	Frequency
<b>KL-WL00108</b>	220-240V	50Hz
Light Source	Wattage	
COB	6.2W	




Item No.	Voltage	Frequency
<b>KL-WL00109</b>	220-240V	50Hz
Light Source	Wattage	
SMD 3030	7.2W	








**KL-WL00110**

**Voltage:** 220-240V  
**Frequency:** 50Hz  
**Light Source:** SMD 5050  
**Wattage:** MAX 6.3W



**KL-WL00111**

**Voltage:** 220-240V  
**Frequency:** 50Hz  
**Light Source:** SMD 5050  
**Wattage:** MAX 6.3W



**KL-WL00112**

**Voltage:** 220-240V  
**Frequency:** 50Hz  
**Light Source:** SMD 5050  
**Wattage:** MAX 6.3W



White  
Gypsum  
(Paintable)



Grey  
Smooth  
Cement



Black  
Sandstone  
Cement



White  
Sandstone  
Cement



# **GOLD FOIL**



**KL-WL00114-GL**



**KL-WL00113-GL**



**KL-WL00115**



**KL-WL00116G-GL**



**KL-WL00118**



**KL-WL00117-GL**




# TERRAZZO

KL-WL00119



KL-WL00120



KL-WL00121



KL-WL00122



KL-WL00123



KL-WL00125



KL-WL00124











**KEYLIGHT**  
**SPAIN**  
LIGHTING PRODUCTS

**KEYLIGHT BY LUCREATIVE**

TEL: +34 677 65 56 22

EMAIL: [INFO@KEYLIGHTSPAIN.EU](mailto:INFO@KEYLIGHTSPAIN.EU)